

YLCASTER CATALOG



Manufacturing master of caster

GUANGZHOU YLCASTER METAL CO.,LTD.



ISO9001-2015



About Us 公司简介



Established in 1997 and located in Yangjiang city in China, Guangzhou YLcaster Metal Co., Ltd. is one of the most famous caster wheel and hand trolley manufacturers, suppliers and exporters, covering an area of 35,000 square meters with more than 20 experts and about 150 workers. In 2018, we have the honor of becoming one of the top 10 caster brandings in China.

As a professional caster wheel manufacturer for more than 20 years, Our factory specializes in caster wheel research, design, manufacture and exportation. Our R&D team will work with you for your special requirements of every products.

We supply our products worldwide. With the production capacity of more than 1 million pieces per month, the annual amount of our factory has reached to USD 30 millions. Our reliable quality and sincere service are highly recognized by our customers all over the world.

Our brand Weibida own the certificate of RoHS and our factory pass the ISO 9001:2015. All our products are tested strictly based on EN12531 and salt-spray standard.

In order to meet the market demands, we always keep paying attention to improving and developing our products and ourselves. Currently we offer more than 2000 different kinds of high quality casters combinations for every applications such as: industrial machinery, medical facilities, furniture, hand trolley, shopping carts, hand pallets, scaffolding, shelves and so on.

The only thing we dedicate to is to satisfy your needs with our high quality products, timely services and competitive prices. If you are interested in our products, please feel free to contact us for more details.

广州粤轮金属有限公司成立于 1997 年，中国优质脚轮及手推车知名专业制造厂商及出口商之一。2018 年，我们荣幸地成为中国十大脚轮品牌之一。工厂位于广东省阳江市，占地面积 35,000 平方米，拥有超过 170 人的设计生产团队。20 多年的脚轮研制开发、生产和经营经验，我们非常有信心满足不同的客户需求。我们的产品销往世界各地，客户遍布全球。工厂的月生产能力超过一百万件，年产值达到三千万美元。我们扎实的产品质量和真诚服务赢得了客户的一致好评。我们的自有品牌威必达，拥有证书 RoHS。工厂获得了 ISO 9001:2015 质量体系认证。脚轮均通过 EN12531 标准的行走、载重以及严格的盐雾测试。为了满足市场需求，我们一直致力于提升自我，改进和研发新的产品。目前，我们有超过 2000 个不同的高品质脚轮组合，能适配各个领域的应用。例如：工业机械、医疗设备、家具、手推车、购物车、叉车、脚手架、货架等。为您提供有竞争力的价格、优质的产品和的服务，是我们粤轮人唯一的追求。如果您对我们的产品感兴趣，请随时联系我们了解更多详情。

Certificates 证书



Our Factory 工厂风采




Production Process
生产流程



EN12531 动态脚轮测试标准 EN12531 Dynamic Load Test Standard

Test items 测试项目	Test standard 测试标准
Speed 轮子测试速度	1.1meter/second(4kilometer/hour) 1.1 米 / 秒 (4 公里 / 小时)
Barrier height 障碍物高度	2.5% of wheel dia. (wheel rigidity ≥ 90 degrees SHORE A) 轮子直径的 2.5% (轮胎硬度 ≥ 90 度 SHORE A)
	5% of wheel dia. (wheel rigidity ≤ 90 degrees SHORE A) 轮子直径的 5% (轮胎硬度 ≤ 90 度 SHORE A)
Space between barrier 障碍物间隔	1-3meter 1-3 米
Hitting barrier 碰撞障碍物次数	500times 500 次
Stop period 停顿时间	After three mins running , stop a min 每走 3 分钟停一分钟
Running times 轮子转动次数	15000 (Wheel girth x 15000 times=total length) 15000 (轮子周长 X15000 次 = 全程长度)




HOW TO CHOOSE CASTERS

Using casters can reduce the work force and increase the work efficiency. The right caster should be chosen by the manner of application, condition and request(for example facility, labor-saving,durability). The factor must be considered as follows:

The load capacity

T= (E + Z) / M

- (1) Load: T=each caster load
E=the weight of the vehicle
Z=the weight of moving object
M=efficient load casters quantity
(the position and different heavy distribution must be considered)
- (2) Efficient load caster quantity as follows :



(3) The casters load at the positon of maximum should be considered when choose load capacity. Concrtete load position and maximum position (P2) as follows:



Agility

- (1) The part of turn(frame turn, wheel rolling) should choose the mini.friction material, or the accessories which be made by a special technology, such as pin ball bearing or quenched in order that the casters will be used easy and durable.
- (2) The bigger the eccentricity is, the better the agility bocomes.But the load capacity is reduced accordingly.
- (3) The bigger the wheel diameter is, the more labor-saving it becomes, and can protect the floor surface perfectly. The bigger wheels run much slowly, not easily getting heated and distorted, and more durable than the small. It is better to choose the bigger diameter wheel when the fitting height is enough.

如何选择脚轮

使用脚轮是为了减轻劳动强度，提高工作效率。根据应用的方式、条件和要求（方便、省力、耐用）正确地选择适合你使用的脚轮。 请考虑以下几点：

承载重量：

(1) 承载重量计算 T= (E + Z) / M

- T= 每只脚轮承载的重量
- E= 运输工具的重量
- Z= 移动物体的重量
- M= 轮子有效承载数量
(应考虑位置，重量分布不均的因素)
- (2) 轮子有效承载数量 (M) 如下图：

(3) 选择承重时要按量大支撑点处脚轮的承重量计算。脚轮具体受力支撑点如下图，P2 为最重支撑点。

灵活性

- (1) 脚轮应灵活、轻松并耐用，其转动部位（脚架转动，轮子滚动）应选用摩擦系数小的材料或经特殊工艺处理后组装的配件（如滚珠轴承或淬火处理。）
- (2) 脚架的偏心距越大转向越灵活，但承载能力相 应降低。
- (3) 轮子的直径越大推动越省力，并能更好地保护地面。轮子大比小转动缓慢，不易发热变形，更耐用。在安装高度允许的条件下尽可能选择大直径的轮子。

Moving speed

The request of caster speed : at the normal temperature and on the smooth floor, the speed should be lower than 4km/h of walk and there is static interval during the work time.

Applied environment

The floor material, barrier, leftover and the special environment, such as scrap iron, high or low temperature, great acidity and alkalescence, oil liquor, chemistry solvent and anti-static-electricity, should be considered when choose the caster. Caster used in special environment should be made of special materials.

Fitting notice:

- Plate : fitted plate must be level, hard and firm.
- Rigid : the direction of two wheels must be accordant and paralle.
- Thread : must be fitted with spring shim to prevent from loosening.

移动速度

脚轮速度的要求在常温环境下，在平坦的地面上不高于步行速度 4KM/H, 并有一定停歇的工作状态。

使用环境

选择时应考虑地面材料、障碍物、残留物或特殊环境（如铁屑、高温、低温、酸性大、碱性大、油液和化学溶剂以及要求抗静电的场所）。在特殊环境中使用的应选择用特殊材料制成的脚轮。

安装注意事项

- 平顶：安装面必须平整、硬质、不许松动。
- 定向：两轮子必须方向一致，并且保证
- 平行：丝口必须配弹簧垫片，防止松动。

轮子材料的性能特点 Wheel Material Capability & Characteristic

材料名称 Type	承载范围 Load (kg)	灵活性 Agility	地板保护 Floor Protection	转动安静 Silence	抗震 Shockresistance	耐磨损 Abrasion- resistance	耐化学性能 Chemistry-resistance	适用温度℃ Suitable Temperature	轮子硬度 (A) Hardness	说明 Description
聚烯烃 FP	10-500	优 Best	差 Bad	差 Bad	差 Bad	差 Bad	优 Best	-20~80	-	纯轮 Pure wheel
尼龙 PA	20-1000	优 Best	差 Bad	差 Bad	差 Bad	良 Better	优 Best	-35~100	-	纯轮 Pure wheel
高强度尼龙 TPA	50-2000	优 Best	差 Bad	差 Bad	差 Bad	优 Best	优 Best	-35~120	-	纯轮 Pure wheel
橡胶 (高弹性) Rubber (high elastic)	20-600	一般 Common	优 Best	优 Best	优 Best	良 Better	一般 Common	-42~80	68±3	内芯铝合金、尼龙 Al.alloy/PA core
人造胶 Synthetic Plastic	20-300	一般 Common	优 Best	优 Best	良 Better	一般 Common	良 Better	-30~80	90±3	内芯工程塑料 Plastic core
超级人造胶 TPE	20-600	一般 Common	优 Best	优 Best	优 Best	良 Better	一般 Common	-40~85	75±3	内芯工程塑料 Plastic core
耐磨塑胶 Plastic	20-800	一般 Common	优 Best	优 Best	良 Better	良 Better	优 Best	-30~85	95±3	内芯工程塑料 Plastic core
聚氨酯 PU	30-1000	良 Better	优 Best	优 Best	优 Best	优 Best	优 Best	-40~90	95±3	内芯工程塑料 Plastic core
高强度聚氨酯 TPU	50-3000	良 Better	优 Best	优 Best	优 Best	优 Best	优 Best	-40~90	95±3	内芯铝合金、尼龙、铸铁 Al.alloy/PA/Moulded steel core
铸铁 Cast Iron	50-5000	优 Best	差 Bad	差 Bad	差 Bad	优 Best	一般 Common	-50~600	-	铸铁、锻钢、合金 或其他金属 Cast Iron/Forged steel/Alloy/Other metal core

Model Description
型号说明

I001		A		065		PVC		P		B	
Series		Type		Wheel Diameter		Wheel Material		Fastening Type		Brake Type	
I001	Light Duty Caster 轻型脚轮	A	Type A A 款	025	1"	APU	Aluminium Core Polyurethane 铝芯聚氨酯	D	Bolt Hole 孔顶	B	Double Brake 双刹车
I002	Medium Duty Caster 中型脚轮	B	Type B B 款	030	1.2"	AR	Aluminium Core Rubber 铝芯橡胶	G	Grip Ring Stem 卡簧	B1	Side Brake 侧刹车
I003	Medium-Heavy Duty Caster 中重型脚轮	C	Type C C 款	032	1.2"	C	Cast Iron 铸铁	P	Plate Style 底板款	B2	Nylon Pedal Double Brake 尼龙踏板双刹车
I004	Heavy Duty Caster 重型脚轮	D	Type D D 款	038	1.5"	CPU	Cast Iron Core Polyurethane 铁芯聚氨酯	F	Fixed 固定	B3	Back Brake 后刹车
I005	Super Heavy Duty Caster 超重型脚轮	E	Type E E 款	040	1.5"	CR	Cast Iron Core Rubber 铁芯橡胶	S	Stem 插杆	B4	Position Lock 方向锁
I006	Standard Industrial Caster 标准工业脚轮	F	Type F F 款	050	2"	ER	Elastic Rubber 弹力橡胶	LS	Long Stem 长插杆	B5	Front Brake 前刹车
I007	European Type Industrial Caster 欧款工业脚轮	G	Type G G 款	060	2.5"	FP	Engineering Plastic 工程塑料	T	Threaded Stem 丝杆	B6	Nylon Front Brake 尼龙踏板前刹车
I008	Stainless Steel Caster 不锈钢脚轮			065	2.5"	HR	Hard Rubber 硬橡胶	LT	Long Threaded Stem 长丝杆		
I009	Low Profile Caster 低重心脚轮	K	Kingpinless Series 抗冲击系列	075	3"	PA	Nylon 尼龙				
I010	Scaffolding Caster 脚手架脚轮			080	3"	PF	Phenolic 酚醛				
I011	Shock Absorbing Caster 减震脚轮	L	Light Duty Series 轻型系列	085	3.5"	PP	Plastic 塑料				
I012	Floor Lock 顶高器	M	Medium Duty Series 中型系列	100	4"	PU	Plastic Core Polyurethane 塑芯聚氨酯				
I013	Shopping Cart Caster 购物车脚轮	H	Heavy Duty Series 重型系列	125	5"	PVC	Polyvinyl Chloride 聚氯乙烯				
I014	Waste Bin Caster 垃圾桶脚轮			150	6"	R	Rubber 橡胶				
I015	Stair-Climbing Wheel 爬梯车脚轮			160	6"	TPR	Thermoplastic Rubber 热塑性橡胶				
I016	Leveling Caster 水平调节脚轮			180	7"						
I017	Workbench Caster 工作台脚轮			200	8"						
I018	Forklift Wheel 叉车轮			250	10"						
I019	Groove Caster 槽轮			300	12"						
I020	Heat Resistant Caster 耐高温脚轮			350	14"						
I021	Conductive Caster 导电脚轮			400	16"						
I022	Anti-Static Caster 防静电脚轮										
I023	Food Cart Caster 餐车脚轮										

Model Description
型号说明

I001		A		065		PVC		P		B	
Series		Type		Wheel Diameter		Wheel Material		Fastening Type		Brake Type	
F001	Plastic Caster 塑料轮	A	Type A A 款	025	1"	APU	Aluminium Core Polyurethane 铝芯聚氨酯	D	Bolt Hole 孔顶	B	Double Brake 双刹车
F002	Ball Caster 球轮			030	1.2"	AR	Aluminium Core Rubber 铝芯橡胶	G	Grip Ring Stem 卡簧	B1	Side Brake 侧刹车
F001	Office Chair Caster-1 班椅轮 -1			032	1.2"	C	Cast Iron 铸铁	P	Plate Style 底板款	B2	Nylon Pedal Double Brake 尼龙踏板双刹车
F004	Office Chair Caster-2 班椅轮 -2			038	1.5"	CPU	Cast Iron Core Polyurethane 铁芯聚氨酯	F	Fixed 固定	B3	Back Brake 后刹车
F005	Brown TPR Caster 棕色 TPR 脚轮			040	1.5"	CR	Cast Iron Core Rubber 铁芯橡胶	S	Stem 插杆	B4	Position Lock 方向锁
F006	Transparent Caster 透明脚轮			050	2"	ER	Elastic Rubber 弹力橡胶	SL	Long Stem 长插杆	B5	Front Brake 前刹车
F007	Soft Transparent PU Caster 花芯透明脚轮			060	2.5"	FP	Engineering Plastic 工程塑料	T	Threaded Stem 丝杆	B6	Nylon Front Brake 尼龙踏板前刹车
				065	2.5"	HR	Hard Rubber 硬橡胶				
M001	Medical Caster-1 医疗脚轮 -1			075	3"	PA	Nylon 尼龙				
M002	Medical Caster-2 医疗脚轮 -2			080	3"	PF	Phenolic 酚醛				
M003	Medical Caster-3 医疗脚轮 -3			085	3.5"	PP	Plastic 塑料				
M004	Medical Caster-4 医疗脚轮 -4			100	4"	PU	Plastic Core Polyurethane 塑芯聚氨酯				
				125	5"	PVC	Polyvinyl Chloride 聚氯乙烯				
T001	Platform Foldable Trolley 折叠平板车			150	6"	TPR	Thermoplastic Rubber 热塑性橡胶				
T002	Multi-layer Plastic Trolley 多层塑料推车			160	6"	SS	Stainless Steel 不锈钢				
T003	Wire Mesh Trolley 网笼车			180	7"	BS	Black Steel 黑色钢				
T004	Foldable Transport Truck 折叠行李车			200	8"	ST	Square Tube 方管				
				250	10"						
				300	12"						
				350	14"						
				400	16"						

目录 Contents

Industrial Series

	I001 Light Duty Caster 轻型脚轮	1
	I002 Medium Duty Caster 中型脚轮	17
	I003 Medium Heavy Duty Caster 中重型脚轮	27
	I004 Heavy Duty Caster 重型脚轮	29
	I005 Super Heavy Duty Caster 超重型脚轮	49
	I006 Standard Industrial Caster 标准工业脚轮	53
	I007 European Type Caster 欧款脚轮	57
	I008 Stainless Steel Caster 不锈钢脚轮	69
	I009 Low Profile Caster 低重心脚轮	77
	I010 Scaffolding Caster 脚手架脚轮	83

	I011 Shock Absorbing Caster 减震脚轮	85
	I012 Floor Lock 顶高器	87
	I013 Shopping Cart Caster 购物车脚轮	88
	I014 Waste Bin Caster 垃圾桶脚轮	89
	I015 Stair Climbing Wheel 爬梯轮	90
	I016 Leveling Caster 水平调节轮	91
	I017 Workbench Caster 工作台脚轮	92
	I018 Hand Pallet Wheel 叉车轮	93
	I019 Groove Caster 槽轮	95
	I020 Heat Resistant Caster 耐高温脚轮	97
	I021 Conductive Caster 导电脚轮	101
	I022 Anti-Static Caster 防静电脚轮	103
	I023 Food Cart Caster 餐车脚轮	105

Furniture Series

	F001 Plastic Caster 塑料轮	107
	F002 Ball Caster 球轮	108
	F003 Office Chair Caster-1 班椅轮 -1	109
	F004 Office Chair Caster-2 班椅轮 -2	110
	F005 Brown TPR Caster 棕色 TPR 脚轮	111
	F006 Transparent PU Caster 透明脚轮	115
	F007 Soft Transparent PU Caster 花芯透明脚轮	116

Trolley Series

	T001 Foldable Plastic Platform Trolley 折叠平板推车	125
	T002 Multi-layers Plastic Platform Trolley 多层塑料推车	127
	T003 Wire Mesh Trolley 网笼车	128
	T004 Foldable Transport Truck 折叠行李车	128

Medical Series

	M001 Medical Caster-1 医疗脚轮 -1	117
	M002 Medical Caster-2 医疗脚轮 -2	118
	M003 Medical Caster-3 医疗脚轮 -3	119
	M004 Medical Caster-4 医疗脚轮 -4	121
	M005 Medical Caster-5 医疗脚轮 -5	123

I001



I001 Series Light Duty Caster Wheel Types Preview

I001 轻型脚轮系列款式预览

A



_____ 3

C







_____ 7

_____ 8

_____ 9-10

1

I001



I001 Series Light Duty Caster Wheel Types Preview

I001 轻型脚轮系列款式预览

D







_____ 13

_____ 14

_____ 16

2

Light Duty Caster Type A A 款轻型脚轮



Housing:
Made of pressed steel, electrophoresis finished,
double ballrace swivel head

Wheel:
Material: PVC/PP/TPR
Bearing type: Double ball bearing

支架：
冲压电泳铁支架，双玻盘

轮子：
材料：聚氯乙烯 / 塑料 / 热塑性橡胶
轴承类型：双滚珠轴承



I001A040XXXP



I001A040XXXPF



I001A040XXPB



I001A040XXD



I001A040XXDB




I001A040XXXT




I001A040XXTB


Light Duty Caster Type A A 款轻型脚轮



I001A040XXXP/F/B



I001A050XXXP/F/B



I001A063XXXP/F/B
I001A075XXXP/F/B
I001A100XXXP/F/B
I001A125XXXP/F/B

Optional Color 可选颜色:



Model Number									
I001A040PVCP	40x20	60	60x43	45x30	9x6	/	10x25		30
I001A050PVCP	50x24	71	70x50	50x35	11x8	10.5	10x25		40
I001A065PVCP	63x32	90	93x62	72x45	12x8.5	12.5	12x30		60
I001A075PVCP	75x32	107	93x62	72x45	12x8.5	12.5	12x30		70
I001A100PVCP	100x32	130	93x62	72x45	12x8.5	12.5	12x30		90
I001A125PVCP	125x32	155	93x62	72x45	12x8.5	12.5	12x30		100

XIGAS-TER

XIGASTIER



YI-GAS-TER

Housing:
Made of pressed steel, zinc plated,
single ballrace swivel head
Wheel:
Material: PP/Rubber/PVC/PU/TPR/Cast Iron

支架:
冲压镀锌铁支架，单玻盘
轮子:
材料：塑料 / 橡胶 / 聚氯乙烯 / 聚氨酯 / 热塑性橡胶 / 铸铁



I001CXXXRP



I001CXXXRPF




I001CXXXRPB1




I001CXXXRT




I001CXXXRTB1




I001C025XXXP/B1




I001C025XXXPF




I001C030XXXP/B1




I001C030XXXPF




I001C040XXXP/B1




I001C040XXXPF



I001C050XXXP/B1




I001C050XXXPF



I001C065XXXP/B1

I001C075XXXP/B1



I001C065XXXPF

I001C075XXXPF



YI-GAS-TER

Light Duty Caster Type C C 款轻型脚轮




Wheel Material	Model Number										
											
PP 塑料	I001C025PPP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030PPP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040PPP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050PPP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065PPP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075PPP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50
	I001C100PPP	100x28	115	70x58	53.5x40	70x47	55x27	8	10x25	/	55
Rubber 橡胶	I001C025RP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030RP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040RP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050RP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065RP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075RP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50
	I001C100RP	100x25	115	70x58	53.5x40	70x47	55x27	8	10x25	/	55
PVC + PP Core 塑芯 聚氯乙烯	I001C025PVCP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030PVCP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040PVCP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050PVCP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065PVCP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075PVCP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50

7

Light Duty Caster Type C C 款轻型脚轮

1001



Wheel Material	Model Number										
											
PU + PP Core 塑芯聚氨酯	I001C025PUP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030PUP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040PUP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050PUP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065PUP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075PUP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50
TPR + PP Core 塑芯 热塑橡胶	I001C025TPRP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030TPRP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040TPRP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050TPRP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065TPRP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075TPRP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50
Cast Iron 铸铁	I001C025CP	25x13	38	39x33	30x24	37x19	29	4	/	/	10
	I001C030CP	30x13	40	39x33	30x24	37x19	29	5	/	/	15
	I001C040CP	40x16.3	50.5	46x38	36x28	46x25	36x15	6	8x15	/	20
	I001C050CP	50x20.3	65	58x46	46x35	58x38.5	45x25	6	8x15	/	30
	I001C065CP	65x25	84	70x58	53.5x40	70x47	55x27	8	10x25	/	40
	I001C075CP	75x25	93	70x58	53.5x40	70x47	55x27	8	10x25	/	50

8

XIGAS-TEER

XIGASTIER


I001




XI-GAS-TER

Light Duty Caster Type R


轻型导轨脚轮




I001C015XXXPF-R




I001C025XXXPF-R



I001C032XXXPF-R



I001C040XXXPF-R



I001C050XXXPF-R

9

I001





XI-GAS-TER


Light Duty Caster Type R

轻型导轨脚轮



Wheel Material	Model Number							
PP 塑料	I001C015PPPF-R	15x11	19	16x31	22	4	/	5
	I001C025PPPF-R	25x14	28	19x40	30	4	/	10
	I001C032PPPF-R	32x16	34	19x45	34	5	/	15
	I001C040PPPF-R	40x16	42	24x58	46	5	/	20
	I001C050PPPF-R	50x22	52	28x68	53	6	/	25
PVC + PP Core 塑芯 聚氯乙烯	I001C015PVC PF-R	15x11	19	16x31	22	4	/	5
	I001C025PVC PF-R	25x14	28	19x40	30	4	/	10
	I001C032PVC PF-R	32x16	34	19x45	34	5	/	15
	I001C040PVC PF-R	40x16	42	24x58	46	5	/	20
	I001C050PVC PF-R	50x22	52	28x68	53	6	/	25
TPR + PP Core 塑芯 热塑橡胶	I001C015TPRPF-R	15x11	19	16x31	22	4	/	5
	I001C025TPRPF-R	25x14	28	19x40	30	4	/	10
	I001C032TPRPF-R	32x16	34	19x45	34	5	/	15
	I001C040TPRPF-R	40x16	42	24x58	46	5	/	20
	I001C050TPRPF-R	50x22	52	28x68	53	6	/	25
Rubber 橡胶	I001C015RPF-R	15x11	19	16x31	22	4	/	5
	I001C025RPF-R	25x14	28	19x40	30	4	/	10
	I001C032RPF-R	32x16	34	19x45	34	5	/	15
	I001C040RPF-R	40x16	42	24x58	46	5	/	20
	I001C050RPF-R	50x22	52	28x68	53	6	/	25

10



XCAS-TER

XCAS-TER



XIGAS-TEER

Light Duty Caster Type D D 款轻型脚轮



Wheel Material	Model Number													
														
PVC + PP Core 塑芯 聚氯乙烯	I001D050PVC	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		30	
	I001D065PVC	65x21	88	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	10x25		40	
	I001D075PVC	75x21	100	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	12x30		45	
	I001D100PVC	100x27	130	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		55	
	I001D125PVC	125x27	155	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		65	
Rubber + PP Core 塑芯 橡胶	I001D050RP	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		30	
	I001D065RP	65x21	88	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	10x25		40	
	I001D075RP	75x21	100	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	12x30		45	
	I001D100RP	100x27	130	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		55	
	I001D125RP	125x27	155	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		65	
PP 塑料	I001D050PPP	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		30	
	I001D075PPP	75x21	100	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	12x30		45	
	I001D100PPP	100x27	130	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		55	

13

Light Duty Caster Type D D 款轻型脚轮

1001



YIGAS-TEER



Wheel Material	Model Number												
													
TPR + PP Core 塑芯 热塑橡胶	I001D050TPRP	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		30
	I001D075TPRP	75x21	100	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	12x30		45
	I001D100TPRP	100x27	130	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		55
	I001D125TPRP	125x27	155	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	14x30		65
TPR + PP Core 塑芯 热塑橡胶	I001D050TPR1P	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		40
	I001D075TPR1P	75x21	100	65x65	45x45	11x6.5	98x57	81x40	8.5	10.5	12x30		55
	I001D100TPR1P	100x27	130	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	12x30		65
	I001D125TPR1P	125x27	155	76x76	55x55	15x8.5	100x57	81x40	8.5	10.5	14x30		75
PVC + PP Core 塑芯 聚氯乙烯	I001D050PVC1P	50x17	69	50x50	35x35	11x6.5	65x48	52x33	8.5	10.5	10x25		40

14

1001



支架：
冲压镀锌铁支架，双玻盘

轮子：
材料：热塑性橡胶 / 塑料 / 聚氯乙烯
类型：双轮



I001EXXPVC1P -TW



I001EXXPVC1D -TW



I001EXXPVC1T -TW



I001EXXPVC1PB2-TW




I001EXXPVC1DB2-TW




I001EXXPVC1TB2-TW

Wheel Material	Model Number										
											
PVC + PP Core 塑芯 聚氯乙烯	I001E050PVC1P-TW	50x19	75	60x60	40x40	12.5x6	10.5	10x25	45	/	70
	I001E075PVC1P-TW	75x23	101	65x65	45x45	14.5x8	12.5	12x30	58	/	90

1001



I001E050XXXP /B2-TW



I001E075XXXP /B2-TW



Wheel Material	Model Number											
												
TPR + PP Core 塑芯 热塑橡胶	I001E050TPRP-TW	50x19	75	60x60	40x40	12.5x6	10.5	10x25	45	/	60	
	I001E075TPRP-TW	75x23	101	65x65	45x45	14.5x8	12.5	12x30	58	/	80	
PP 塑料	I001E050PPP-TW	50x19	75	60x60	40x40	12.5x6	10.5	10x25	45	/	70	
	I001E075PPP-TW	75x23	101	65x65	45x45	14.5x8	12.5	12x30	58	/	90	
PVC + PP Core 塑芯 聚氯乙烯	I001E050PVCP-TW	50x19	75	60x60	40x40	12.5x6	10.5	10x25	45	/	70	
	I001E075PVCP-TW	75x23	101	65x65	45x45	14.5x8	12.5	12x30	58	/	90	

KLING STUBBINS

XIGASTIER

I002



YI-GAS-TER

Medium Duty Caster 中型脚轮

I002 Series Medium Duty Caster Wheel Types Preview
I002 中型脚轮系列款式预览

A



20



21



22

17

I002



YI-GAS-TER

Medium Duty Caster 中型脚轮



23



24



26

18

Housing:
Made of pressed steel, zinc plated,
double ballrace swivel head
Wheel:
Material: PP/PVC/PU/TPR/Rubber.....
Bearing type: Precision double ball bearing
Roller bearing/Plain bearing

支架:
冲压镀锌铁支架, 双球盘
轮子:
材料: 塑料 / 聚氯乙烯 / 聚氨酯 / 热塑性橡胶 / 橡胶.....
轴承类型: 精密双滚珠轴承 / 滚针轴承 / 滑动轴承



I002AXXXPPWWA



I002AXXXPPP



I002AXXXPPPF




I002AXXXPPPB



I002AXXXPPT



I002AXXXPPTB




This series all size of swivel/double brake and fixed caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.

此系列各尺寸活动、双刹及固定脚轮底板和孔距、孔径一致。



Side brake
可选择平板边刹脚轮



Fork with bolt
hole is available
可选择孔顶支架



Fork with stem
is available
可选择插杆支架



Wheel Material	Model Number												
PP 塑料	I002A060PPWWA	I002A060PPP	60x32	92	93x62	72x45	93x62	72x45	12x8.5	12x30			60
	I002A075PPWWA	I002A075PPP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30			80
	I002A100PPWWA	I002A100PPP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30			90
	I002A125PPWWA	I002A125PPP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30			100

Medium Duty Caster Type A A 款中型脚轮












Wheel Material	Model Number											
												
PVC + PP Core 塑芯 聚氯乙烯	I002A075PVCWWA	I002A075PVCP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		80
	I002A100PVCWWA	I002A100PVCP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		90
	I002A125PVCWWA	I002A125PVCP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		100
PVC + PP Core 塑芯 聚氯乙烯	I002A060PVC1WWA	I002A060PVC1P	60x32	92	93x62	72x45	93x62	72x45	12x8.5	12x30		60
	I002A075PVC1WWA	I002A075PVC1P	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		80
	I002A100PVC1WWA	I002A100PVC1P	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		90
	I002A125PVC1WWA	I002A125PVC1P	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		100
	I002A150PVC1WWA	I002A150PVC1P	150x32	182	93x62	72x45	93x62	72x45	12x8.5	12x30		150
PVC + PP Core 塑芯 聚氯乙烯	I002A075PVC2WWA	I002A075PVC2P	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		60
	I002A100PVC2WWA	I002A100PVC2P	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		70
	I002A125PVC2WWA	I002A125PVC2P	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		80
PVC + PP Core 塑芯 聚氯乙烯	I002A075PVC3WWA	I002A075PVC3P	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		60
	I002A100PVC3WWA	I002A100PVC3P	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		70
	I002A125PVC3WWA	I002A125PVC3P	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		80

21

Medium Duty Caster Type A A 款中型脚轮

1002



Wheel Material	Model Number											
												
PVC + PP Core 塑芯 聚氯乙烯	I002A060PVC4WWA	I002A060PVC4P	60x32	92	93x62	72x45	93x62	72x45	12x8. 5	12x30		60
	I002A075PVC4WWA	I002A075PVC4P	75x32	105	93x62	72x45	93x62	72x45	12x8. 5	12x30		80
	I002A100PVC4WWA	I002A100PVC4P	100x32	130	93x62	72x45	93x62	72x45	12x8. 5	12x30		90
	I002A125PVC4WWA	I002A125PVC4P	125x32	155	93x62	72x45	93x62	72x45	12x8. 5	12x30		100
	I002A150PVC4WWA	I002A150PVC4P	150x32	182	93x62	72x45	93x62	72x45	12x8. 5	12x30		150
PU + PP Core 塑芯聚氨酯	I002A075PU1WWA	I002A075PU1P	75x32	105	93x62	72x45	93x62	72x45	12x8. 5	12x30		90
	I002A100PU1WWA	I002A100PU1P	100x32	130	93x62	72x45	93x62	72x45	12x8. 5	12x30		110
	I002A125PU1WWA	I002A125PU1P	125x32	155	93x62	72x45	93x62	72x45	12x8. 5	12x30		135
PU + PP Core 塑芯聚氨酯	I002A075PU2WWA	I002A075PU2P	75x32	105	93x62	72x45	93x62	72x45	12x8. 5	12x30		90
	I002A100PU2WWA	I002A100PU2P	100x32	130	93x62	72x45	93x62	72x45	12x8. 5	12x30		110
	I002A125PU2WWA	I002A125PU2P	125x32	155	93x62	72x45	93x62	72x45	12x8. 5	12x30		135
TPR + PP Core 塑芯 热塑橡胶	I002A075TPRWWA	I002A075TPRP	75x32	105	93x62	72x45	93x62	72x45	12x8. 5	12x30		80
	I002A100TPRWWA	I002A100TPRP	100x32	130	93x62	72x45	93x62	72x45	12x8. 5	12x30		90
	I002A125TPRWWA	I002A125TPRP	125x32	155	93x62	72x45	93x62	72x45	12x8. 5	12x30		100

22

XI-GASTIER










Medium Duty Caster Type A A 款中型脚轮

1002



XL-GASTIER



Wheel Material	Model Number											
												
Elastic Rubber + PP Core 塑芯 弹力橡胶	I002A075ER1WWA	I002A075ER1P	75x35	105	93x62	72x45	93x62	72x45	12x8.5	12x30		60
	I002A100ER1WWA	I002A100ER1P	100x35	130	93x62	72x45	93x62	72x45	12x8.5	12x30		70
	I002A125ER1WWA	I002A125ER1P	125x35	155	93x62	72x45	93x62	72x45	12x8.5	12x30		80
Cast Iron 铸铁	I002A075CWWA	I002A075CP	75x30	105	93x62	72x45	93x62	72x45	12x8.5	12x30	/	100
	I002A100CWWA	I002A100CP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30	/	120
PU + Cast Iron Core 铁芯聚氨酯	I002A060CPUWWA	I002A060CPUP	60x32	92	93x62	72x45	93x62	72x45	12x8.5	12x30		80
	I002A075CPUWWA	I002A075CPUP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		100
	I002A100CPUWWA	I002A100CPUP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		110
	I002A125CPUWWA	I002A125CPUP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		130
PU+ Aluminium Core 铝芯聚氨酯	I002A075APUWWA	I002A075APUP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		100
	I002A100APUWWA	I002A100APUP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		120
	I002A125APUWWA	I002A125APUP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		150

美款中型脚轮



The carbonitriding heat treatment process makes the double ballrace harder, more flexible rotating and longer life.
Metal dust cover protect the ballrace and steel ball.

Material: PU/TPR
Bearing type: Precision ball bearing
Annular bearing/Delrin bearing

碳氮共渗热处理工艺双玻盘轨道，硬度高，旋转灵活，寿命长
金属防尘帽，有效保护波盘和钢珠
环保镀锌工艺

材料：聚氨酯 / 热塑性橡胶
轴承类型：精密滚珠轴承 / 一体轴承 / 特尔灵轴承



I002AXXPUP-K



I002AXXPUPF-K



I002AXXPUPB-K


Model Number							
							
I002A075ATPRWWA-K	I002A075TPRWWA-K	I002A075DTPRWWA-K	75x32	10x40	10x42	12.7x40	90
I002A090ATPRWWA-K	I002A090TPRWWA-K	I002A090DTPRWWA-K	90x32	10x40	10x42	12.7x40	114
I002A100ATPRWWA-K	I002A100TPRWWA-K	I002A100DTPRWWA-K	100x32	10x40	10x42	12.7x40	136
I002A125ATPRWWA-K	I002A125TPRWWA-K	I002A125DTPRWWA-K	125x32	10x40	10x42	12.7x40	136
I002A075APUWWA-K	I002A075PUWWA-K	I002A075DPUWWA-K	75x32	10x40	10x42	12.7x40	114
I002A090APUWWA-K	I002A090PUWWA-K	I002A090DPUWWA-K	90x32	10x40	10x42	12.7x40	114
I002A100APUWWA-K	I002A100PUWWA-K	I002A100DPUWWA-K	100x32	10x40	10x42	12.7x40	136
I002A125APUWWA-K	I002A125PUWWA-K	I002A125DPUWWA-K	125x32	10x40	10x42	12.7x40	136

25


美款中型脚轮



Wheel Material	Model Number										
											
TPR + PP Core 塑芯 热塑橡胶	I002A075TPRWWA-K	I002A075TPRP-K	75x32	108	92x64x4	74.5x45	92x64x4	74.5x45	8.5		90
	I002A090TPRWWA-K	I002A090TPRP-K	90x32	119	92x64x4	74.5x45	92x64x4	74.5x45	8.5		114
	I002A100TPRWWA-K	I002A100TPRP-K	100x32	130	92x64x4	74.5x45	92x64x4	74.5x45	8.5		136
	I002A125TPRWWA-K	I002A125TPRP-K	125x32	157	92x64x4	74.5x45	92x64x4	74.5x45	8.5		136
PU + PP Core 塑芯 铁芯聚氨酯	I002A075PUWWA-K	I002A075PUP-K	75x32	108	92x64x4	74.5x45	92x64x4	74.5x45	8.5		114
	I002A090PUWWA-K	I002A090PUP-K	90x32	119	92x64x4	74.5x45	92x64x4	74.5x45	8.5		114
	I002A100PUWWA-K	I002A100PUP-K	100x32	130	92x64x4	74.5x45	92x64x4	74.5x45	8.5		136
	I002A125PUWWA-K	I002A125PUP-K	125x32	157	92x64x4	74.5x45	92x64x4	74.5x45	8.5		136



This series all size of swivel/double brake and fixed caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.



Optional brake :
可选择边刹款：



I002AXXXXPB1-K

此系列各尺寸活动、双刹及固定脚轮底板和孔距、孔径一致。

26

XIGASTER



XIGASTIER

中重型脚轮



支架：
冲压电泳铁支架，双玻盘

轮子：
材料：塑料 / 聚氨酯 / 热塑性橡胶 / 橡胶
类型：精密双滚珠轴承



中重型脚轮



Wheel Material	Model Number								
									
PP 塑料	I003A075PPP	75x38	110	101x82	77x57	15x11		120	
	I003A100PPP	100x38	136	101x82	77x57	15x11		150	
	I003A125PPP	125x38	163	112x100	84x74	15x11		200	
	I003A150PPP	150x38	190	112x100	84x74	15x11		250	
PU + PP Core 塑芯聚氨酯	I003A075PUP	75x38	110	101x82	77x57	15x11		120	
	I003A100PUP	100x38	136	101x82	77x57	15x11		140	
	I003A125PUP	125x40	163	112x100	84x74	15x11		180	
	I003A150PUP	150x40	190	112x100	84x74	15x11		210	
TPE + PP Core 塑芯耐磨橡胶	I003A075TPEP	75x38	110	101x82	77x57	15x11		120	
	I003A100TPEP	100x38	136	101x82	77x57	15x11		140	
	I003A125TPEP	125x40	163	112x100	84x74	15x11		180	
	I003A150TPEP	150x40	190	112x100	84x74	15x11		210	
Rubber + PP Core 塑芯橡胶	I003A100RP	100x38	136	101x82	77x57	15x11		140	
	I003A125RP	125x40	163	112x100	84x74	15x11		180	
	I003A150RP	150x40	190	112x100	84x74	15x11		210	

28

XIGASTIER

I004 Series Heavy Duty Caster Wheel Types Preview

I004 重型脚轮系列款式预览

A		32
		33
		34
		35
		36
		37

		38
A-K		39-40
D		41
E		42
K		43- 44
KS		45- 46
F		48

1004



Housing:
Solid steel bilateral welded construction,
double ballrace swivel head, zinc plated

Wheel:
Material: PP/PVC/PU/TPR.....
Bearing type: Precision double ball bearing/
Roller bearing

支架：
双边焊接铁支架，镀锌处理，双玻璃


轮子：
材料：塑料 / 聚氯乙烯 / 聚氨酯
/ 热塑性橡胶.....
类型：精密双滚珠轴承 / 滚针轴承




Electrophoresis finish is available
 支架可电泳处理



Yellow zinc is available
支架可镀黄锌



I004A100XXXP /B/B1
I004A125XXXP /B/B1
I004A150XXXP /B/B1
I004A200XXXP /B/B1



I004A100XXXPF
I004A125XXXPF
I004A150XXXPF
I004A200XXXPF

1004



I004AXXPWWA



I004AXXXPPP



I004AXXXPPPF



I004AXXPBB1



I004AXXPBB



Wheel Material	Model Number								
									
PP 塑料	I004A100PPWWA	I004A100PPP	100x42	142	115x100	85x72	20x13		200
	I004A125PPWWA	I004A125PPP	125x42	167	115x100	85x72	20x13		230
	I004A150PPWWA	I004A150PPP	150x42	195	115x100	85x72	20x13		280
	I004A200PPWWA	I004A200PPP	200x42	237	115x100	85x72	20x13		300
PP 塑料	I004A100PP1WWA	I004A100PP1P	100x50	142	115x100	85x72	20x13		230
	I004A125PP1WWA	I004A125PP1P	125x50	166	115x100	85x72	20x13		280
	I004A150PP1WWA	I004A150PP1P	150x50	190	115x100	85x72	20x13		300
	I004A200PP1WWA	I004A200PP1P	200x50	240	115x100	85x72	20x13		320
PP 塑料	I004A100PP2WWA	I004A100PP2P	100x50	142	115x100	85x72	20x13		300
	I004A125PP2WWA	I004A125PP2P	125x50	167	115x100	85x72	20x13		350
	I004A150PP2WWA	I004A150PP2P	150x50	195	115x100	85x72	20x13		400
	I004A200PP2WWA	I004A200PP2P	200x50	240	115x100	85x72	20x13		450

XIGAS-TER

XIGASTIER



XIGAS-TER



Wheel Material	Model Number									
										
Engineering Plastic 工程塑料	I004A100FPWWA	I004A100FPP	100x42	142	115x100	85x72	20x13		250	
	I004A125FPWWA	I004A125FPP	125x42	166	115x100	85x72	20x13		280	
	I004A150FPWWA	I004A150FPP	150x42	190	115x100	85x72	20x13		300	
	I004A200FPWWA	I004A200FPP	200x42	240	115x100	85x72	20x13		350	
PA 尼龙	I004A100PAWWA	I004A100PAP	100x42	142	115x100	85x72	20x13		300	
	I004A125PAWWA	I004A125PAP	125x42	164	115x100	85x72	20x13		400	
	I004A150PAWWA	I004A150PAP	150x42	190	115x100	85x72	20x13		500	
	I004A200PAWWA	I004A200PAP	200x42	240	115x100	85x72	20x13		600	
PA 尼龙	I004A100PA1WWA	I004A100PA1P	100x50	142	115x100	85x72	20x13		300	
	I004A125PA1WWA	I004A125PA1P	125x50	164	115x100	85x72	20x13		400	
	I004A150PA1WWA	I004A150PA1P	150x50	190	115x100	85x72	20x13		500	
	I004A200PA1WWA	I004A200PA1P	200x50	240	115x100	85x72	20x13		600	
PVC + PP Core 塑芯 聚乙烯	I004A100PVCWWA	I004A100PVCPC	100x50	142	115x100	85x72	20x13		200	
	I004A125PVCWWA	I004A125PVCPC	125x50	166	115x100	85x72	20x13		230	
	I004A150PVCWWA	I004A150PVCPC	150x50	190	115x100	85x72	20x13		280	
	I004A200PVCWWA	I004A200PVCPC	200x50	240	115x100	85x72	20x13		300	



XI-GASTIER



Wheel Material	Model Number								
									
PVC + PP Core 塑芯 聚氯乙烯	I004A100PVC1WWA	I004A100PVC1P	100x50	142	115x100	85x72	20x13		200
	I004A125PVC1WWA	I004A125PVC1P	125x50	166	115x100	85x72	20x13		230
	I004A150PVC1WWA	I004A150PVC1P	150x50	190	115x100	85x72	20x13		280
	I004A200PVC1WWA	I004A200PVC1P	200x50	240	115x100	85x72	20x13		300
PVC + PP Core 塑芯 聚氯乙烯	I004A100PVC2WWA	I004A100PVC2P	100x50	142	115x100	85x72	20x13		200
	I004A125PVC2WWA	I004A125PVC2P	125x50	166	115x100	85x72	20x13		230
	I004A150PVC2WWA	I004A150PVC2P	150x50	190	115x100	85x72	20x13		280
	I004A200PVC2WWA	I004A200PVC2P	200x50	240	115x100	85x72	20x13		300
PVC + PP Core 塑芯 聚氯乙烯	I004A100PVC3WWA	I004A100PVC3P	100x50	142	115x100	85x72	20x13		200
	I004A125PVC3WWA	I004A125PVC3P	125x50	166	115x100	85x72	20x13		230
	I004A150PVC3WWA	I004A150PVC3P	150x50	190	115x100	85x72	20x13		280
	I004A200PVC3WWA	I004A200PVC3P	200x50	240	115x100	85x72	20x13		300
TPR + PP Core 热塑橡胶	I004A100TPRWWA	I004A100TPRP	100x50	142	115x100	85x72	20x13		200
	I004A125TPRWWA	I004A125TPRP	125x50	166	115x100	85x72	20x13		230
	I004A150TPRWWA	I004A150TPRP	150x50	190	115x100	85x72	20x13		250
	I004A200TPRWWA	I004A200TPRP	200x50	240	115x100	85x72	20x13		280

1004












XL-CAS-TER



Heavy Duty Caster Type A

A 款重型脚轮

Wheel Material	Model Number									
										
TPR + PP Core 塑芯热塑橡胶	I004A100TPR1WWA	I004A100TPR1P	100x50	142	115x100	85x72	20x13		200	
	I004A125TPR1WWA	I004A125TPR1P	125x50	166	115x100	85x72	20x13		230	
	I004A150TPR1WWA	I004A150TPR1P	150x50	190	115x100	85x72	20x13		250	
	I004A200TPR1WWA	I004A200TPR1P	200x50	240	115x100	85x72	20x13		280	
TPR + PP Core 塑芯热塑橡胶	I004A100TPR2WWA	I004A100TPR2P	100x50	142	115x100	85x72	20x13		230	
	I004A125TPR2WWA	I004A125TPR2P	125x50	164	115x100	85x72	20x13		250	
	I004A150TPR2WWA	I004A150TPR2P	150x50	190	115x100	85x72	20x13		280	
	I004A200TPR2WWA	I004A200TPR2P	200x50	240	115x100	85x72	20x13		300	
Elastic Rubber + PP Core 塑芯弹力橡胶	I004A100ERWWA	I004A100ERP	100x53	142	115x100	85x72	20x13		180	
	I004A125ERWWA	I004A125ERP	125x53	166	115x100	85x72	20x13		200	
	I004A150ERWWA	I004A150ERP	150x53	190	115x100	85x72	20x13		230	
	I004A200ERWWA	I004A200ERP	200x53	240	115x100	85x72	20x13		250	

35

1004







XL-CAS-TER





Heavy Duty Caster Type A

A 款重型脚轮



Wheel Material	Model Number									
										
Cast Iron V-Groove 铸铁V槽轮	I004A100CVWWA	I004A100CVP	100x50	142	115x100	85x72	20x13		400	
	I004A125CVWWA	I004A125CVP	125x50	166	115x100	85x72	20x13		450	
	I004A150CVWWA	I004A150CVP	150x50	195	115x100	85x72	20x13		500	
	I004A200CVWWA	I004A200CVP	200x50	240	115x100	85x72	20x13		550	
Cast Iron 铸铁	I004A100C1WWA	I004A100C1P	100x50	142	115x100	85x72	20x13		200	
	I004A125C1WWA	I004A125C1P	125x50	166	115x100	85x72	20x13		230	
	I004A150C1WWA	I004A150C1P	150x50	195	115x100	85x72	20x13		280	
	I004A200C1WWA	I004A200C1P	200x50	240	115x100	85x72	20x13		300	
Cast Iron 实心铸铁	I004A100C2WWA	I004A100C2P	100x50	142	115x100	85x72	20x13		200	
	I004A125C2WWA	I004A125C2P	125x50	166	115x100	85x72	20x13		230	
	I004A150C2WWA	I004A150C2P	150x50	195	115x100	85x72	20x13		280	
	I004A200C2WWA	I004A200C2P	200x50	240	115x100	85x72	20x13		300	

36



Wheel Material	Model Number									
										
Rubber + Cast Iron Core 铁芯橡胶	I004A100CRWWA	I004A100CRP	100x50	142	115x100	85x72	20x13			180
	I004A125CRWWA	I004A125CRP	125x50	164	115x100	85x72	20x13			200
	I004A150CRWWA	I004A150CRP	150x50	190	115x100	85x72	20x13			230
	I004A200CRWWA	I004A200CRP	200x50	240	115x100	85x72	20x13			250
PU + Cast Iron Core 铁芯聚氨酯	I004A100CPUWWA	I004A100CPUP	100x50	142	115x100	85x72	20x13			250
	I004A125CPUWWA	I004A125CPUP	125x50	166	115x100	85x72	20x13			300
	I004A150CPUWWA	I004A150CPUP	150x50	195	115x100	85x72	20x13			320
	I004A200CPUWWA	I004A200CPUP	200x50	240	115x100	85x72	20x13			380
PU + Cast Iron Core 铁芯聚氨酯	I004A100CPU1WWA	I004A100CPU1P	100x50	142	115x100	85x72	20x13			280
	I004A125CPU1WWA	I004A125CPU1P	125x50	166	115x100	85x72	20x13			300
	I004A150CPU1WWA	I004A150CPU1P	150x50	195	115x100	85x72	20x13			350
	I004A200CPU1WWA	I004A200CPU1P	200x50	240	115x100	85x72	20x13			400
PU + Cast Iron Core 铁芯聚氨酯	I004A100CPU2WWA	I004A100CPU2P	100x53	142	115x100	85x72	20x13			320
	I004A125CPU2WWA	I004A125CPU2P	125x53	166	115x100	85x72	20x13			400
	I004A150CPU2WWA	I004A150CPU2P	150x53	195	115x100	85x72	20x13			450
	I004A200CPU2WWA	I004A200CPU2P	200x53	240	115x100	85x72	20x13			540



Wheel Material	Model Number									
										
Elastic Rubber + Aluminium Core 铝芯弹力橡胶	I004A125ARWWA	I004A125ARP	125x50	166	115x100	85x72	20x13			250
	I004A150ARWWA	I004A150ARP	150x50	195	115x100	85x72	20x13			300
	I004A200ARWWA	I004A200ARP	200x50	240	115x100	85x72	20x13			350
PU + Aluminium Core 铝芯聚氨酯	I004A100APUWWA	I004A100APUP	100x50	142	115x100	85x72	20x13			300
	I004A125APUWWA	I004A125APUP	125x50	166	115x100	85x72	20x13			350
	I004A150APUWWA	I004A150APUP	150x50	195	115x100	85x72	20x13			400
	I004A200APUWWA	I004A200APUP	200x50	240	115x100	85x72	20x13			450
PU + Aluminium Core 铝芯聚氨酯	I004A100APU1WWA	I004A100APU1P	100x50	142	115x100	85x72	20x13			320
	I004A125APU1WWA	I004A125APU1P	125x50	166	115x100	85x72	20x13			400
	I004A150APU1WWA	I004A150APU1P	150x50	195	115x100	85x72	20x13			450
	I004A200APU1WWA	I004A200APU1P	200x50	240	115x100	85x72	20x13			540
	I004A200APU1WWA	I004A200APU1P	200x50	240	115x100	85x72	20x13			540

1004




I004AXXPUPB6-K

Model Number					
					
I004A100PUWWA-K	I004A100RPUWWA-K	100x51	12.7x64	12.7x62.5	270
I004A125PUWWA-K	I004A125RPUWWA-K	125x51	12.7x64	12.7x62.5	340
I004A150PUWWA-K	I004A150RPUWWA-K	150x51	12.7x64	12.7x62.5	410
I004A200PUWWA-K	I004A200RPUWWA-K	200x51	12.7x64	12.7x62.5	450
I004A100TPRWWA-K	I004A100RTPRWWA-K	100x51	12.7x64	12.7x62.5	180
I004A125TPRWWA-K	I004A125RTPRWWA-K	125x51	12.7x64	12.7x62.5	227
I004A150TPRWWA-K	I004A150RTPRWWA-K	150x51	12.7x64	12.7x62.5	270
I004A200TPRWWA-K	I004A200RTPRWWA-K	200x51	12.7x64	12.7x62.5	306

39


1004



Wheel Material	Model Number									
										
PU + PP Core 塑芯聚氨酯	I004A100PUWWA-K	I004A100PUP-K	100x51	143	114x102	84x71.5	11		270	
	I004A125PUWWA-K	I004A125PUP-K	125x51	165	114x102	84x71.5	11		340	
	I004A150PUWWA-K	I004A150PUP-K	150x51	191	114x102	84x71.5	11		410	
	I004A200PUWWA-K	I004A200PUP-K	200x51	241	114x102	84x71.5	11		450	
TPR + PP Core 塑芯 热塑橡胶	I004A100TPRWWA-K	I004A100TPRP-K	100x51	143	114x102	84x71.5	11		180	
	I004A125TPRWWA-K	I004A125TPRP-K	125x51	165	114x102	84x71.5	11		227	
	I004A150TPRWWA-K	I004A150TPRP-K	150x51	191	114x102	84x71.5	11		270	
	I004A200TPRWWA-K	I004A200TPRP-K	200x51	241	114x102	84x71.5	11		306	


40

1004



支架：
焊接铁支架，电泳处理
双玻盘

轮子：
材料：铁芯橡胶
类型：精密双滚珠轴承



This series material and all size caster share the same plate size.
此系列各种材质和尺寸脚轮底板尺寸一致。



I004DXXXRWWA



I004DXXXRP



I004DXXXRPF



I004DXXXRPB

Wheel Material	Model Number								
									
Rubber + Steel Core 铁芯橡胶	I004D125RWWA	I004D125RP	125x40	164	115x100	85x72	20x13		120
	I004D150RWWA	I004D150RP	150x45	190	115x100	85x72	20x13		160
	I004D200RWWA	I004D200RP	200x48	240	115x100	85x72	20x13		210

1004



Housing:
Solid steel welded construction,
zinc plated,
double ballrace swivel head

Wheel:
Material: Rubber + Steel Core
Bearing type: Precision double ball bearing

支架：
双边焊接，镀锌，双玻盘
轮子：
材料：橡胶
轴承类型：精密双滚珠轴承


Wheel Material	Model Number								
									
Rubber + Steel Core 铁芯橡胶	I004E200IRWWA	I004E200IRP	200x50	255	115x100	85x72	20x13		120
	I004E250IRWWA	I004E250IRP	250x50	297	115x100	85x72	20x13		150
Rubber + Steel Core 铁芯橡胶	I004E200IR1WWA	I004E200IR1P	200x50	255	115x100	85x72	20x13		120
	I004E250IR1WWA	I004E250IR1P	250x50	297	115x100	85x72	20x13		150



Electrophoresis finish is available
支架可镀黑



Yellow zinc is available
支架可镀黄锌



European type plate is available
可选择欧式底板

1004



支架：
双边焊接抗冲击支架
镀锌处理
轮子：
材料：聚氨酯
类型：精密双滚珠轴承



I004KXXCPUPB1






Technical drawing of a mechanical part with the following dimensions:

- Overall width: 159mm
- Distance between top holes: 129mm
- Distance from top edge to top holes: 74mm
- Distance from top edge to bottom holes: 114mm
- Distance from left edge to left hole: 13mm
- Distance from left edge to right hole: 20mm

I004



I004KXXCPUPB3B4

Wheel Material	Model Number							
								
PU + PP Core 塑芯聚氨酯	I004K100PUP	100x50	150	115x100	85x72	20x13		250
	I004K125PUP	125x50	175	115x100	85x72	20x13		300
	I004K150PUP	150x50	200	115x100	85x72	20x13		380
	I004K200PUP	200x50	250	115x100	85x72	20x13		450
PU + Cast Iron Core 铁芯聚氨酯	I004K100CPUP	100x50	150	115x100	85x72	20x13		300
	I004K125CPUP	125x50	175	115x100	85x72	20x13		380
	I004K150CPUP	150x50	200	115x100	85x72	20x13		450
	I004K200CPUP	200x50	250	115x100	85x72	20x13		540
PU + Aluminium Core 铝芯聚氨酯	I004K100APUP	100x50	150	115x100	85x72	20x13		350
	I004K125APUP	125x50	175	115x100	85x72	20x13		420
	I004K150APUP	150x50	200	115x100	85x72	20x13		500
	I004K200APUP	200x50	250	115x100	85x72	20x13		700











1004



支架：
焊接铁支架
蓝漆
轮子：
材料：聚氨酯 / 尼龙
类型：精密双滚珠轴承



Black paint is available
支架可漆黑

Wheel Material	Model Number							
								
PU + Cast Iron Core 铁芯聚氨酯	I004F100CPUP	100x50	159	138x110	110x75	20x13		350
	I004F125CPUP	125x50	177.5	138x110	110x75	20x13		400
	I004F150CPUP	150x50	205	138x110	110x75	20x13		450
	I004F200CPUP	200x50	256	138x110	110x75	20x13		700
PU + Cast Iron Core 铁芯聚氨酯	I004F100CPU1P	100x50	159	138x110	110x75	20x13		400
	I004F125CPU1P	125x50	177.5	138x110	110x75	20x13		500
	I004F150CPU1P	150x50	205	138x110	110x75	20x13		600
	I004F200CPU1P	200x50	256	138x110	110x75	20x13		800
PU + Aluminium Core 铝芯聚氨酯	I004F100APUP	100x50	159	138x110	110x75	20x13		350
	I004F125APUP	125x50	177.5	138x110	110x75	20x13		400
	I004F150APUP	150x50	205	138x110	110x75	20x13		450
	I004F200APUP	200x50	256	138x110	110x75	20x13		600
MC PA 浇注尼龙	I004F100MPAP	100x50	159	138x110	110x75	20x13		500
	I004F125MPAP	125x50	177.5	138x110	110x75	20x13		600
	I004F150MPAP	150x50	205	138x110	110x75	20x13		700
	I004F200MPAP	200x50	256	138x110	110x75	20x13		1000

47

1004




I004FXXCPUP




I004FXXXCPUPF



I004FXXXCPUPB3



This series all size of swivel/back brake caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.
此系列各尺寸活动、刹车脚轮底板和孔距、孔径一致。



This series all size of fixed caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.
此系列各尺寸固定脚轮底板和孔距、孔径一致。

48

XIGAS-TER

1005




支架：
双边焊接抗冲击支架
黑漆

轮子：
材料：尼龙 / 锻钢 / 聚氨酯
类型：精密双滚珠轴承



Load capacity can be customized up to 30 tons 载重可定制达 30 吨



This series all size of swivel/back brake caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.
此系列各尺寸活动、刹车脚轮底板和孔距、孔径一致。

1005



Wheel Material	Model Number							
								
MC PA 浇注尼龙	I005A100MPAP	100x75	165	200x153x14	160x90	13		2000
	I005A125MPAP	125x75	185	200x153x14	160x90	13		2000
	I005A150MPAP	150x75	215	200x153x14	160x90	13		2000
	I005A200MPAP	200x75	275	200x153x14	160x90	13		2500
	I005A250MPAP	250x75	320	200x153x14	160x90	13		2500
	I005A300MPAP	300x75	365	200x153x14	160x90	13		3000
Forged Steel 锻钢	I005A100FSP	100x75	165	200x153x14	160x90	13		2000
	I005A125FSP	125x75	185	200x153x14	160x90	13		2000
	I005A150FSP	150x75	215	200x153x14	160x90	13		2500
	I005A200FSP	200x75	275	200x153x14	160x90	13		3000
	I005A250FSP	250x75	320	200x153x14	160x90	13		3000
	I005A300FSP	300x75	365	200x153x14	160x90	13		3000
PU + Cast Iron Core 铁芯聚氨酯	I005A150CPUP	150x75	215	200x153x14	160x90	13		1500
	I005A200CPUP	200x75	275	200x153x14	160x90	13		1500
	I005A250CPUP	250x75	320	200x153x14	160x90	13		1500
	I005A300CPUP	300x75	365	200x153x14	160x90	13		1500

Super Heavy Duty Caster Twin-wheel 超重型双轮脚轮

1005



支架：
双边焊接抗冲击支架
银漆

轮子：
材料：尼龙 / 锻钢 / 聚氨酯
类型：精密双滚珠轴承




I005AXXFSPUP-TW



I005AXXFSPUF-TW


Load capacity can be customized up to 30 tons 载重可定制达 30 吨



This series all size of swivel/back brake caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.

此系列各尺寸活动、刹车脚轮底板和孔距、孔径一致。

51



This series all size of swivel/back brake caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.

此系列各尺寸活动、刹车脚轮底板和孔距、孔径一致。

52

1005



XI-GASTIER



Housing:
Made of pressed steel, zinc plated
Double ballrace swivel head
Wheel:
Material: Rubber/PP/Elastic Rubber/Cast Iron/PU
Bearing type: Roller bearing/Double Ball bearing/
Plain bearing

支架:
冲压镀锌铁支架, 双玻盘
轮子:
材料: 橡胶 / 塑料 / 弹力橡胶 / 铸铁 / 聚氨酯
类型: 滚针轴承 / 双滚珠轴承 / 滑动轴承



I006AXXRSW



I006AXXRP



I006AXXRPF



I006AXXRPB



I006AXXRD



I006AXXRDB



I006AXXRT




I006AXXRTB




I006AXXRS




I006AXXRSB




This series 75mm swivel and double brake
caster share the same plate size.
此系列各种材质的活动和双刹的 75mm
脚轮底板尺寸一致。




This series 85mm/100mm/125mm swivel
and double brake caster share the same
plate size.
此系列各种材质的活动和双刹的 85mm/100mm
/125mm 脚轮底板尺寸一致。




This series 150mm/160mm/200mm/250mm
swivel and double brake caster share the
same plate size.
此系列各种材质的活动和双刹
的 150mm/160mm/200mm/250mm
脚轮底板尺寸一致。



This series 75mm fixed caster share the same
plate size.
此系列各种材质的固定的 75mm 脚轮底板
尺寸一致。



This series 85mm/100mm/125mm fixed
caster share the same plate size.
此系列各种材质固定的 85mm/100mm/125mm
脚轮底板尺寸一致。




This series 150mm/160mm/200mm/250mm
fixed caster share the same plate size.
此系列各种材质的固定
的 150mm/160mm/200mm/250mm
脚轮底板尺寸一致。




Housing:
Made of pressed steel, zinc plated
double ballrace swivel head,
Wheel:
Material: Thermoplastic Rubber/Hard Rubber/PP
Bearing type: No bearing

支架:
冲压镀锌铁支架, 双波盘
轮子:
材料: 热塑性橡胶 / 硬橡胶 / 塑料
类型: 无轴承



This series 50mm swivel and double brake caster share the same plate size.
此系列各种材质 50mm 的活动和双刹脚轮底板尺寸一致。



This series 75mm swivel and double brake caster share the same plate size.
此系列各种材质 75mm 的活动和双刹脚轮底板尺寸一致。



I007LXXXTPRP-TW



I007LXXXTPRPB2-TW



I007LXXXTPRD-TW



I007LXXXTPRDB2-TW



Wheel Material	Model Number									
TPR + PP Core 塑芯 热塑橡胶	I007L050TPRP-TW	50x19	8x22	71.5	60x60	46x46	12x6.5	10	/	60
	I007L075TPRP-TW	75x23	8x28	103	77x67	56x47	12x6.5	12	/	80
Hard Rubber 硬橡胶	I007L050HRP-TW	50x20	6x23	71.5	60x60	46x46	12x6.5	10	/	70
PP 塑料	I007L050PPP-TW	50x20	6x22.5	71.5	60x60	46x46	12x6.5	10	/	70

XI-GAS-TER


XI-GAS-TER

European Type Medium Duty Caster 欧款中型脚轮

1007



支架：
 冲压镀锌铁支架，双玻盘
 轮子：
 材料：尼龙 / 塑料 / 聚氨酯 / 橡胶 / 弹力橡胶
 轮子表面硬度：90±5 Shore A
 轴承类型：滚针轴承 / 精密双滚珠轴承 / 滑动轴承
 温度范围：-20°C ~80°C

Model Number								
								
I007M080RPUSW	I007M080BPUSW	I007M080PPUSW	80x30		12x41	15x37	8x41	100
I007M100RPUSW	I007M100BPUSW	I007M100PPUSW	100x30		12x41	15x37	8x41	120
I007M125SRPUSW	I007M125SBPUSW	I007M125SPPUSW	125x30		12x41	15x37	10x41	150
I007M125MRPUSW	I007M125MBPUSW	I007M125MPPUSW	125x40		15x51	15x47	10x51	150
I007M160RPUSW	I007M160BPUSW	I007M160PPUSW	160x45		20x61	17x47	12x61	300
I007M200RPUSW	I007M200BPUSW	I007M200PPUSW	200x50		20x61	17x47	12x61	350
I007M080RRSW	/	/	80x27		/	12x40	/	60
I007M100RRSW	/	/	100x30		/	12x40	/	80
I007M125SRRSW	/	/	125x38		/	12x40	/	100
I007M125MRRSW	/	/	125x38		/	15x50	/	100
I007M160RRSW	/	/	160x50		/	20x60	/	150
I007M200RRSW	/	/	200x50		/	20x60	/	200
I007M080RR1SW	/	/	80x27		/	12x40	/	60
I007M100RR1SW	/	/	100x30		/	12x40	/	80
I007M125SRR1SW	/	/	125x38		/	12x40	/	100
I007M125MRR1SW	/	/	125x38		/	15x50	/	100
I007M160RR1SW	/	/	160x50		/	20x60	/	150
I007M200RR1SW	/	/	200x50		/	20x60	/	200
I007M080RERSW	/	/	80x36	/	12x41	12x40	/	100
I007M100RERSW	/	/	100x36	/	12x41	12x40	/	150
I007M125SRERSW	/	/	125x36	/	12x41	12x40	/	200
I007M125MRERSW	I007M125MBERSW	/	125x36	125x36	15x51	15x50	15x44	200
I007M160RERSW	I007M160BERSW	/	160x45	150x50	20x61	20x60	20x60	350
I007M200RERSW	I007M200BERSW	/	200x50	200x50	20x61	20x60	20x60	400

62



I007MXXXXPPP




I007MXXXXPPPF



I007MXXXXPPPB




I007MXXXXPPD



This series 80mm/100mm/125mm swivel and double brake caster share the same plate size.

此系列各种材质 80mm/100mm/125mm 小底板的活动和双刹脚轮底板尺寸一致。



This series 80mm/100mm/125mm fixed caster share the same plate size.

此系列各种材质 80mm/100mm/125mm 小底板的固定脚轮底板尺寸一致。




I007MXXXXPPDB



I007MXXXXPPT




I007MTXXXXPPTB



This series 125mm m /150mm /200mm swivel and double brake caster share the same plate size.

此系列各种材质 125mm 中底板 /150mm /200mm 的活动和双刹脚轮底板尺寸一致。



This series 125mm m /150mm /200mm fixed caster share the same plate size.

此系列各种材质 125mm 中底板 /150mm /200mm 的固定脚轮底板尺寸一致。

I007



X-L-GAS-TER



Wheel Material	Model Number								
PA 尼龙	I007M080PAP	80x30	108	105x85	80x60	14x9	12.5	12x25	100
	I007M100PAP	100x30	128	105x85	80x60	14x9	12.5	12x25	120
	I007M125SPAP	125x30	155	105x85	80x60	14x9	12.5	12x25	150
	I007M125MPAP	125x40	156	135x110	105x80	16x11	12.5	12x25	150
	I007M160PAP	160x45	195	135x110	105x80	16x11	16.5	16x40	300
	I007M200PAP	200x50	240	135x110	105x80	16x11	16.5	16x40	350
PP 塑料	I007M080PPP	80x30	108	105x85	80x60	14x9	12.5	12x25	100
	I007M100PPP	100x30	128	105x85	80x60	14x9	12.5	12x25	120
	I007M125SPPP	125x30	155	105x85	80x60	14x9	12.5	12x25	150
	I007M125MPPP	125x40	156	135x110	105x80	16x11	12.5	12x25	150
	I007M160PPP	160x45	195	135x110	105x80	16x11	16.5	16x40	300
	I007M200PPP	200x50	240	135x110	105x80	16x11	16.5	16x40	350
PU + Nylon Core 尼龙芯聚氨酯	I007M080PUP	80x30	108	105x85	80x60	14x9	12.5	12x25	100
	I007M100PUP	100x30	128	105x85	80x60	14x9	12.5	12x25	120
	I007M125SPUP	125x30	155	105x85	80x60	14x9	12.5	12x25	150
	I007M125MPUP	125x40	156	135x110	105x80	16x11	12.5	12x25	150
	I007M160PUP	160x45	195	135x110	105x80	16x11	16.5	16x40	300
	I007M200PUP	200x50	240	135x110	105x80	16x11	16.5	16x40	350

I007



X-L-GAS-TER



Wheel Material	Model Number								
Black Rubber + Steel Core 铁芯黑色橡胶	I007M080RP	80x27	108	105x85	80x60	14x9	12.5	12x25	60
	I007M100RP	100x30	128	105x85	80x60	14x9	12.5	12x25	80
	I007M125SRP	125x38	155	105x85	80x60	14x9	12.5	12x25	100
	I007M125MRP	125x38	156	135x110	105x80	16x11	12.5	12x25	100
	I007M160RP	160x50	195	135x110	105x80	16x11	16.5	16x40	150
	I007M200RP	200x50	240	135x110	105x80	16x11	16.5	16x40	200
Gray Rubber + Steel Core 铁芯灰色橡胶	I007M080R1P	80x27	108	105x85	80x60	14x9	12.5	12x25	60
	I007M100R1P	100x30	128	105x85	80x60	14x9	12.5	12x25	80
	I007M125SR1P	125x38	155	105x85	80x60	14x9	12.5	12x25	100
	I007M125MR1P	125x38	156	135x110	105x80	16x11	12.5	12x25	100
	I007M160R1P	160x50	195	135x110	105x80	16x11	16.5	16x40	150
	I007M200R1P	200x50	240	135x110	105x80	16x11	16.5	16x40	200
Elastic Rubber + PP core 塑芯弹力橡胶	I007M080ERP	80x35	108	105x85	80x60	14x9	12.5	12x25	100
	I007M100ERP	100x36	128	105x85	80x60	14x9	12.5	12x25	150
	I007M125SERP	125x36	155	105x85	80x60	14x9	12.5	12x25	200
	I007M125MERP	125x36	156	135x110	105x80	16x11	12.5	12x25	200
	I007M160ERP	160x45	195	135x110	105x80	16x11	16.5	16x40	350
	I007M200ERP	200x50	240	135x110	105x80	16x11	16.5	16x40	400



XL-CAS-STER

Housing:
Made of pressed steel, zinc plated
double ballrace swivel head

Wheel:
Material: Nylon/PU/Elastic rubber
Bearing type: Precision double ball bearing

支架:
冲压镀锌铁支架, 双波盘

轮子:
材料: 尼龙 / 聚氨酯 / 弹力橡胶
类型: 精密双滚珠轴承



I007HXXXPASW




I007HXXXPAP



I007HXXXPAPF



I007HXXXPAPB



This series all size caster share the same plate size.
各种材质和尺寸脚轮底板尺寸一致。

Optional wheels 匹配脚轮:



Nylon
尼龙轮子



Cast iron core PU
铁芯圆弧聚氨酯轮子



XL-CAS-STER



Wheel Material	Model Number									kg
PA 尼龙	I007H100PASW	I007H100PAP	100x50	20x55	142	135x110	105x80	15x12		300
	I007H125PASW	I007H125PAP	125x50	20x55	164	135x110	105x80	15x12		400
	I007H150PASW	I007H150PAP	150x50	20x55	194	135x110	105x80	15x12		500
	I007H200PASW	I007H200PAP	200x50	20x55	239	135x110	105x80	15x12		550
PU + PP Core 塑芯聚氨酯	I007H125PUSW	I007H125PUP	125x45	17x62	156	135x110	105x80	15x12		330
	I007H150PUSW	I007H150PUP	150x45	17x62	190	135x110	105x80	15x12		380
	I007H200PUSW	I007H200PUP	200x45	17x62	240	135x110	105x80	15x12		410
PU + Cast Iron Core 铁芯聚氨酯	I007H100CPUSW	I007H100CPUP	100x50	17x56	142	135x110	105x80	15x12		300
	I007H125CPUSW	I007H125CPUP	125x50	17x56	164	135x110	105x80	15x12		350
	I007H150CPUSW	I007H150CPUP	150x50	17x56	194	135x110	105x80	15x12		400
	I007H200CPUSW	I007H200CPUP	200x50	17x56	239	135x110	105x80	15x12		450
	I007H250CPUSW	I007H250CPUP	250x50	25x56	292	135x110	105x80	15x12		500
PU+ Aluminium Core 铝芯聚氨酯	I007H100APUSW	I007H100APUP	100x50	20x60	142	135x110	105x80	15x12		300
	I007H125APUSW	I007H125APUP	125x50	20x60	164	135x110	105x80	15x12		350
	I007H150APUSW	I007H150APUP	150x50	20x60	194	135x110	105x80	15x12		400
	I007H200APUSW	I007H200APUP	200x50	20x60	239	135x110	105x80	15x12		500
	I007H250APUSW	I007H250APUP	250x50	20x60	292	135x110	105x80	15x12		600
Elastic Rubber + Aluminium Core 铝芯弹力橡胶	I007H125ARSW	I007H125ARP	125x50	20x60	164	135x110	105x80	15x12		200
	I007H150ARSW	I007H150ARP	150x50	20x60	194	135x110	105x80	15x12		250
	I007H200ARSW	I007H200ARP	200x50	20x60	239	135x110	105x80	15x12		300
	I007H250ARSW	I007H250ARP	250x50	20x60	292	135x110	105x80	15x12		350



Housing:
Stainless steel pressed, double ballrace swivel head
Wheel:
Material: PA/PC/TPR/PU
Bearing type: Plain bearing/Precision single ball bearing


支架:
冲压不锈钢支架, 双玻盘
轮子:
材料: 尼龙 / 聚碳酸酯 / 热塑性橡胶 / 聚氨酯
轴承类型: 滑动轴承 / 精密单滚珠轴承



I008LXXXPAP

I008LXXXPAPF

I008LXXXPAPB



This series all size caster share the same plate size.
此系列各种材质和尺寸脚轮底板尺寸一致。



I008LXXXPAT

I008LXXXPATB



Wheel Material	Model Number								
PA 尼龙	I008L040PAP	40x20	60	54x44	40x30	6.5	10x25		30
	I008L050PAP	50x22	70	54x44	40x30	6.5	10x25		50
PC 聚碳酸酯	I008L040PCP	40x20	60	54x44	40x30	6.5	10x25		30
	I008L050PCP	50x22	70	54x44	40x30	6.5	10x25		50
TPR+ PP Core 塑芯热塑橡胶	I008L040TPRP	40x20	60	54x44	40x30	6.5	10x25		30
	I008L050TPRP	50x22	70	54x44	40x30	6.5	10x25		50
PU + PP Core 塑芯聚氨酯	I008L040PUP	40x20	60	54x44	40x30	6.5	10x25		30
	I008L050PUP	50x22	70	54x44	40x30	6.5	10x25		50

Stainless Steel Medium Duty Caster 不锈钢中型脚轮

1008




支架：
冲压不锈钢支架，双玻盘

轮子：
材料：尼龙 / 聚氨酯 / 热塑性橡胶
轴承类型：滑动轴承 / 精密单滚珠轴承



I008MXXXPA PF



This series all size caster share the same plate size.
此系列各种材质和尺寸脚轮底板尺寸一致。

71



I008MXXPADB2



Wheel Material	Model Number									
										
PA 尼龙	I008M075PAP	75x32	113	95X70	73.5x48.5	12.5x9	12.5		80	
	I008M100PAP	100x32	137	95X70	73.5x48.5	12.5x9	12.5		110	
	I008M125PAP	125x32	164	95X70	73.5x48.5	12.5x9	12.5		130	
PU + PP Core 塑芯聚氨酯	I008M075PUP	75x32	113	95X70	73.5x48.5	12.5x9	12.5		80	
	I008M100PUP	100x32	137	95X70	73.5x48.5	12.5x9	12.5		110	
	I008M125PUP	125x32	164	95X70	73.5x48.5	12.5x9	12.5		130	
TPR+ PP Core 塑芯热塑橡胶	I008M075TPRP	75x32	113	95X70	73.5x48.5	12.5x9	12.5		80	
	I008M100TPRP	100x32	137	95X70	73.5x48.5	12.5x9	12.5		110	
	I008M125TPRP	125x32	164	95X70	73.5x48.5	12.5x9	12.5		130	

72

XIGASTIER

Housing:
Stainless steel pressed, double ballrace swivel head
Wheel:
Material: Plastic/Nylon/PU/TPR
Bearing type: Plain bearing/Precision single ball bearing

支架:
冲压不锈钢支架, 双玻盘
轮子:
材料: 塑料 / 尼龙 / 聚氨酯 / 热塑性橡胶
轴承类型: 滑动轴承 / 精密单滚珠轴承

Optional brake :
可选择边刹款 :


I008MXXXPUPB1-2



Wheel Material	Model Number								
									
Plastic 塑料	I008M075PPP-2	75x32	105	93X62	72x45	12x8.5	12x30		90
	I008M100PPP-2	100x32	130	93X62	72x45	12x8.5	12x30		100
	I008M125PPP-2	125x32	155	93X62	72x45	12x8.5	12x30		110
PA 尼龙	I008M075PAP-2	75x32	105	93X62	72x45	12x8.5	12x30		90
	I008M100PAP-2	100x32	130	93X62	72x45	12x8.5	12x30		110
	I008M125PAP-2	125x32	155	93X62	72x45	12x8.5	12x30		135
PU + PP Core 塑芯聚氨酯	I008M075PUP-2	75x32	105	93X62	72x45	12x8.5	12x30		90
	I008M100PUP-2	100x32	130	93X62	72x45	12x8.5	12x30		110
	I008M125PUP-2	125x32	155	93X62	72x45	12x8.5	12x30		135
TPR+ PP Core 塑芯热塑橡胶	I008M075TPRP-2	75x32	105	93X62	72x45	12x8.5	12x30		80
	I008M100TPRP-2	100x32	130	93X62	72x45	12x8.5	12x30		90
	I008M125TPRP-2	125x32	155	93X62	72x45	12x8.5	12x30		100



I008MXXXPUP-2 I008MXXXPUPF-2 I008MXXXPUPB-2 I008MXXXPUT-2 I008MXXXPUTB-2



This series all size of swivel/double brake and fixed caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.

此系列各尺寸活动、双刹及固定脚轮底板和孔距、孔径一致。

Stainless Steel Heavy Duty Caster 不锈钢重型脚轮

1008




支架：
不锈钢焊接支架，双玻盘

轮子：
材料：尼龙 / 工程塑料 / 聚氨酯 / 热塑性橡胶 / 铝芯聚氨酯
轴承类型：精密双滚珠轴承



I008HXXXPA PB



76

Wheel Material	Model Number								
									
PA 尼龙	I008H100PAP	100x50	143	115x100	85x72	20x13		250	
	I008H125PAP	125x50	165	115x100	85x72	20x13		300	
	I008H150PAP	150x50	191	115x100	85x72	20x13		350	
	I008H200PAP	200x50	241	115x100	85x72	20x13		400	
Engineering Plastic 工程塑料	I008H100FPP	100x42	143	115x100	85x72	20x13		250	
	I008H125FPP	125x42	165	115x100	85x72	20x13		300	
	I008H150FPP	150x42	191	115x100	85x72	20x13		350	
	I008H200FPP	200x42	241	115x100	85x72	20x13		400	
PU+PP Core 塑芯聚氨酯	I008H100PUP	100x50	143	115x100	85x72	20x13		250	
	I008H125PUP	125x50	165	115x100	85x72	20x13		280	
	I008H150PUP	150x50	191	115x100	85x72	20x13		300	
	I008H200PUP	200x50	241	115x100	85x72	20x13		350	
TPR + PP Core 塑芯 热塑橡胶	I008H100TPRP	100x50	143	115x100	85x72	20x13		200	
	I008H125TPRP	125x50	165	115x100	85x72	20x13		230	
	I008H150TPRP	150x50	191	115x100	85x72	20x13		280	
	I008H200TPRP	200x50	241	115x100	85x72	20x13		300	
PU+ Aluminium Core 铝芯聚氨酯	I008H100APUP	100x50	143	115x100	85x72	20x13		250	
	I008H125APUP	125x50	165	115x100	85x72	20x13		300	
	I008H150APUP	150x50	192	115x100	85x72	20x13		350	
	I008H200APUP	200x50	242	115x100	85x72	20x13		400	



Low Profile Caster A/B A/B 款低重心脚轮

1009



支架：
冲压电泳铁支架，双玻璃盘

轮子：
材料：尼龙 / 塑料
轴承类型： 无轴（40/50mm）
精密双滚珠轴承（65/75mm）

支架：
冲压电泳铁支架，双玻盘

轮子：
材料：尼龙
轴承类型：滑动轴承
类型：双轮



I009AXXPAPF-TW



I009AXXPAPB2

Model Number								
								
I009A040PAP-TW	I009A040PAPF-TW	40x24	61	95x66	72x45	8.5		150
I009A050PAP-TW	I009A050PAPF-TW	50x24	72	95x66	72x45	8.5		180
I009A065PAP-TW	I009A065PAPF-TW	65x24	85	95x66	72x45	8.5		200
I009A075PAP-TW	I009A075PAPF-TW	75x24	99	95x66	72x45	8.5		250



I009BXXXCPUPB

Model Number									
									
I009B075CPUP	I009B075CPUPF	I009B075CPUPB	75x50	113	115x100	85x72	20x13		500

XIGAS-TEER

I009

XI-GAS-STER

Low Profile Caster Type C

C 款低重心脚轮




I009CXXXHRP




I009CXXXHRPF




I009CXXXHRPB1




I009C050XXP /B1




I009C065XXP /B1




I009C075XXP /B1




I009C100XXP /B1




I009C050XXPF



I009C065XXPF



I009C075XXPF



I009C100XXPF

I009

XI-GAS-STER

Low Profile Caster Type C

C 款低重心脚轮


Housing:
Made of pressed steel, zinc plated,
single ballrace swivel head
Wheel:
Material: PP/Nylon/Hard Rubber/Cast Iron
Bearing type: Plain bearing

支架:
冲压镀锌铁支架, 单玻盘
轮子:
材料: 塑料 / 尼龙 / 硬橡胶 / 铸铁
轴承类型: 滑动轴承



Wheel Material	Model Number											
												
PP 塑料	I009C040PP1SW	I009C040PP1P	38x24	51	61x44	48x23	6.5	61x36	48x23	6.5	/	30
	I009C050PP1SW	I009C050PP1P	46x24	62	65x48	53x24	6.5	67x38	53x24	6.5	/	40
	I009C065PP1SW	I009C065PP1P	63x27	80	96x67	75x40	8.5	99x52	81x25	8.5	/	50
	I009C075PP1SW	I009C075PP1P	74x31	92	105x77	85x58	8.5	104x59	84x36	8.5	/	60
PP 塑料	I009C050PPSW	I009C050PPP	50x20	63	67x48	54x24	6.2	67x48	54x24	6.2	/	70
	I009C065PPSW	I009C065PPP	63x22	84	95x70	76x44.5	9	112x57	89x27	8.5	/	75
	I009C075PPSW	I009C075PPP	75x31	93	105x77	85x60	11.5x8.5	126x64	102x30	8.5	/	80
	I009C100PPSW	I009C100PPP	100x32	129	128x105	102x78	13.5x10.5	155x73	127x44	10.5	/	100
PA 尼龙	I009C050PASW	I009C050PAP	50x20	63	67x48	54x24	6.2	67x48	54x24	6.2	/	75
	I009C065PASW	I009C065PAP	63x22	84	95x70	76x44.5	9	112x57	89x27	8.5	/	80
	I009C075PASW	I009C075PAP	75x27	98	105x77	85x60	11.5x8.5	126x64	102x30	8.5	/	85
	I009C100PASW	I009C100PAP	100x32	129	128x105	102x78	13.5x10.5	155x73	127x44	10.5	/	100
Hard Rubber 硬橡胶	I009C050HRSW	I009C050HRP	50x23	63	67x48	54x24	6.2	67x48	54x24	6.2	/	40
	I009C065HRSW	I009C065HRP	64x27	84	95x70	76x44.5	9	112x57	89x27	8.5	/	50
	I009C075HRSW	I009C075HRP	75x30	98	105x77	85x60	11.5x8.5	126x64	102x30	8.5	/	60
	I009C100HRSW	I009C100HRP	100x39	129	128x105	102x78	13.5x10.5	155x73	127x44	10.5	/	80

1009



支架：
冲压烤漆支架，双玻盘

轮子：
材料：尼龙
轴承类型：滚珠轴承




This series all size of swivel/brake/fixed caster wheel share the same plate size, bolt hole spacing and bolt hole diameter.
此系列各尺寸活动、刹车、固定脚轮底板和孔距、孔径一致。

1009



I009DXXX PAP



I009DXXXPA PF



I009DXXXPAPB6

Model Number									
									
I009D050PAP	I009D050PAPF	I009D050PAPB6	50x50	85	110x82	80x60	13.5x10.5		350
I009D065PAP	I009D065PAPF	I009D065PAPB6	65x50	95	110x82	80x60	13.5x10.5		600
I009D075AP	I009D075APF	I009D075APB6	75x50	105	110x82	80x60	13.5x10.5		700
I009D100PAP	I009D100PAPF	I009D100PAPB6	100x50	127	110x82	80x60	13.5x10.5		900
I009D125PAP	I009D125PAPF	I009D125PAPB6	125x50	160	110x82	80x60	13.5x10.5		1000

XIGAS-TER

XIGAS-TER

I010

Scaffolding Caster Type A A 款脚手架脚轮



YI-GAS-TER

Housing:
Solid steel welded construction, zinc plated,
double ballrace swivel head
Wheel:
Material: PP/PVC/PU/Rubber
Bearing type: Precision double ball bearing
/Roller Bearing

支架：
焊接镀锌铁支架，双玻盘
轮子：
材料：塑料 / 聚氯乙烯 / 聚氨酯 / 橡胶
轴承类型：精密双滚珠轴承 / 滚针轴承



Double Brake
可选择双刹支架



Wheel Material	Model Number							
PP 塑料	I010A150PPSB	150x42	19x60	190	35x100			200
	I010A200PPSB	200x42	19x60	240	35x100			250
PVC + PP Core 塑芯 聚氯乙烯	I010A150PVCSB	150x50	19x60	190	35x100			200
	I010A200PVCSB	200x50	19x60	240	35x100			250
PU+ Cast Iron Core 铁芯聚氨酯	I010A150CPUSB	150x50	19x60	190	35x100			200
	I010A200CPUSB	200x50	19x60	240	35x100			250
Rubber + Cast Iron Core 铁芯橡胶	I010A150CRSB	150x50	19x60	190	35x100			200
	I010A200CRSB	200x50	19x60	240	35x100			250

I010

Scaffolding Caster Type B B 款脚手架脚轮



YI-GAS-TER

Housing:
Double brake fitting housing, zinc plated,
Wheel:
Material: Rubber+ Steel core
Bearing Type: Roller Bearing

支架：
镀锌双刹支架
轮子：
材料：铁芯黑色橡胶
轴承类型：滚针轴承



Model Number								
I010B160CRB	160x40	20x55	195	48	54	60x120/140		120
I010B200CRB	200x46	20x55	235	48	54	60x120/140		160

I011

weibida

Shock Absorbing Caster Type A

A 款减震脚轮

I011AXXXCPUP-2

I011AXXXCPUPF-2

I011AXXXCPUPB5-2

Model Number							
I011A125CPUP-2	125x50	210	140x108	105x75	13x22		280
I011A150CPUP-2	150x50	222	140x108	105x75	13x22		300
I011A200CPUP-2	200x50	265	140x108	105x75	13x22		350

Optional color :

可选择蓝色支架:

85

I011

weibida

Shock Absorbing Caster Type B

B 款减震脚轮

I011BXXXCPUP-1

I011BXXXCPUPF-1

I011BXXXCPUPB5-1

Model Number							
I011B125CPUP-1	125x50	190	158x113	125x75	13x25		280
I011B150CPUP-1	150x50	200	158x113	125x75	13x25		300
I011B200CPUP-1	200x50	245	158x113	125x75	13x25		350

Optional color :

可选择蓝色支架:

86



Applicable to transport mobile equipments, should be used together with casters of the same height.

适用于运输移动设备，应配合相同高度脚轮使用。



Model Number							
Style							
I012-J4	143	151	125	120x120	95x95	22x11	300
I012-J5	164	172	146	120x120	95x95	22x11	300
I012-J6	190	198	158	120x120	95x95	22x11	300
I012-J8	240	248	208	120x120	95x95	22x11	300
I012-A4	141	149	125	115x100	85x72	20x11	300
I012-A5	161	169	141	115x100	85x72	20x11	300
I012-A6	189	197	169	115x100	85x72	20x11	300
I012-A8	239	247	219	115x100	85x72	20x11	300

Application:
Shopping carts

Material:
TPR/PU

应用：
购物车

材料：
热塑性橡胶 / 聚氨酯



Model Number						
I013A100PUT-2	100x30	135	/	12x15		80
I013A125PUT-2	125x32	155	/	12x15		100
I013A100PUT-3	100x22	135	/	12x15		70
I013A125PUT-3	125x22	155	/	12x15		90
I013A125PUT-4	125x32	155	/	12x15		110
I013B100PUT	100x32	130	/	1/2-13x4/5		60
I013B125PUT	125x32	150	/	1/2-13x4/5		80
I013C075TPRD	75x26	98	12.5	/		60
I013C100TPRD	100x32	129	12.5	/		80
I013C125TPRD	125x32	155	12.5	/		100



IO14



支架：
冲压铁支架，镀锌，双玻盘

轮子：
材料：铁芯橡胶 / 塑芯橡胶
轴承类型：滚针轴承 / 滑动轴承

A green wheeled trash bin with a recycling symbol on the front. The bin is rectangular with a hinged lid and four wheels. The recycling symbol is a white circle containing a stylized figure of a person recycling.



Yellow Zinc
黄锌

Wheel material	Model Number							
								
Rubber+Steel core 铁芯橡胶	I014A160CRP	160x50	195	135x110	105x80	18x11		130
	I014A200CRP	200x50	245	135x110	105x80	18x11		150
Rubber+PP core 塑芯橡胶	I014A160PRP	160x50	195	135x110	105x80	18x11		130
	I014A200PRP	200x50	245	135x110	105x80	18x11		150

89

I015



支架：
镀锌铁支架
轮子：
材料：弹力橡胶 + 铁芯
轴承类型：滚针轴承



I016

Model Number								
I015A160	160x40	20x55	367	207	25	180		130

Leveling Caster 水平调节脚轮

支架：
冲压铁支架，镀锌

轮子：
材料：聚氯乙烯 / 尼龙
轴承类型：精密双滚珠轴承



Wheel material	Model Number							
								
PVC + PP Core 塑芯 聚氯乙 烯	I016A040PVCP	40X20	60	66x66	44x44	8		40
	I016A050PVCP	50X24	74	66x66	44x44	8		50
	I016A063PVCP	63x32	93	93x62	74x45	8		65
	I016A075PVCP	75x32	105	93x62	74x45	8		80
	I016A100PVCP	100x32	130	93x62	74x45	8		100
PA 尼龙	I016B063PAP	63X50	91	120x120	95x95	9		300
	I016B075PAP	75X50	100	120x120	95x95	9		350

90

I016



YI-GAS-TER

Leveling Caster 水平调节脚轮





I016-40F

I016-60F

I016-80F

I016-100F

I016-120F

Model Number							Single wheel	Four wheels
							kg	kg
I016-040F/S/FH/SH	40x20	75+8	55x55x3	42x42	6.5	M8x10	50	100
I016-060F/S/FH/SH	50x25	85+10	73x73x5	58x58	7	M12x18	250	500
I016-080F/S/FH/SH	62x31	110+12	90x90x5	70x70	9	M12x18	500	1000
I016-100F/S/FH/SH	75x32	120+12	95x95x5	70x70	11	M16x24	750	1500
I016-120F/S/FH/SH	75x32	120+12	95x95x6	70x70	11	M16x24	1000	2000
I016-150F/S/FH/SH	90x55	132±15	100x100x6	70x70	13	/	1500	3000

Other color options :
其它颜色选择:





I016-XXXFH



I016-XXXSH

Optional Fixed Stem
可选择固定螺杆
I016-XXS



Optional With Handle
可选择扳手款
I016-XXSH/FH



91

Workbench Caster 工作台脚轮

I017



YI-GAS-TER



The workbench caster can help you easily move and position your heavy workbench, stand and open-base saws to where you want to put them to. To use workbench casters, please push down the foot pedals to elevate your workbench off the floor, move to the expected location, then lift up the foot pedal to lower the workbench and make it firmly back onto the floor.

Sturdy steel construction and high-quality wheels ensure the ruggedness and durability of the casters and make the casters so stable that they won't sway. All parts are easy and convenient to assemble.



I017065WB





92

Hand Pallet Wheel 叉车轮

I018



Features:

1. Double ball bearing
2. PU+cast iron core

Applications: Hand Pallets

特性：

1. 双滚珠轴承
2. 聚氨酯 + 铁芯

应用：
叉车



Model Number				
I018B80050CPU	80x50	20x50		450
I018B80060CPU	80x60	20x60		500
I018B80070CPU	80x70	20x70		600
I018B80080CPU	80x80	20x80		700
I018B80090CPU	80x90	20x90		800
I018B80100CPU	80x100	20x100		850
I018F160CPU	160x50	20x50		350
I018F180CPU	180x50	20x50		700
I018F200CPU	200x50	20x50		1000

93



Hand Pallet Wheel 叉车轮

I018



Features:

1. Double ball bearing
2. Nylon/Polymer

Applications:

Hand Pallets

特性：

1. 双滚珠轴承
2. 尼龙 / 共聚

应用：
叉车



Model Number					
I018B80060PA/FP	80x60	20x60		500/450	
I018B80070PA/FP	80x70	20x70		600/550	
I018B80080PA/FP	80x80	20x80		700/650	
I018B80090PA/FP	80x90	20x90		800/750	
I018B80100PA/FP	80x100	20x100		850/800	
I018F160PA	160x50	20x50		350	
I018F180PA/FP	180x50	20x50		650/600	
I018F200PA/FP	200x50	20x50		1000/950	

94



XIGAS-TEER

X-CASTER

I019



XI-GAS-TER

Features:
Double ball bearing,
yellow zinc-plated

H Groove Caster
H 槽轮



U Groove Caster
U 槽轮



V Groove Caster
V 槽轮



特性：
双滚珠轴承，
镀彩锌

Model Number								
I019A032HP	32x25	40	56x31	42x18	6		100	
I019A050HP	50x30	60	68x39	54x23	6		150	
I019A060HP	60x30	72	90x41	76x27	6		250	
I019A080HP	80x31	90	100x43	86x28	6		300	
I019A100HP	100x32	115	110x46	95x29	8		500	
I019A120HP	120x40	135	120x56	99x40	8		600	
I019A032UP	32x25	40	56x31	42x18	6		100	
I019A050UP	50x30	60	68x39	54x23	6		150	
I019A060UP	60x30	72	90x41	76x27	6		250	
I019A080UP	80x31	90	100x43	86x28	6		300	
I019A100UP	100x32	115	110x46	95x29	8		500	
I019A120UP	120x40	135	120x56	99x40	8		600	
I019A032VP	32x25	40	56x31	42x18	6		100	
I019A050VP	50x30	60	68x39	54x23	6		150	
I019A060VP	60x30	72	90x41	76x27	6		250	
I019A080VP	80x31	90	100x43	86x28	6		300	
I019A100VP	100x32	115	110x46	95x29	8		500	
I019A120VP	120x40	135	120x56	99x40	8		600	

95

I019



XI-GAS-TER

Features:
Single ball bearing,
yellow zinc-plated

V Rail Caster
V 型导轨轮



U Rail Caster
U 型导轨轮



V Lower pulley
V 型下滑轮




特性：
单滚珠轴承，
镀彩锌

Model Number								
I019B050VP	50x15	59	85x28	55	9		100	
I019B060VP	60x17	64	85x28	55	9		150	
I019B070VP	70x20	80	100x35	76	9		200	
I018B080VP	80x20	85	100x35	76	9		250	
I019B090VP	90x20	100	110x36	92	9		275	
I019B100VP	100x20	105	130x36	92	9		300	
I019B050UP	50x15	59	85x28	55	9		100	
I019B060UP	60x17	64	85x28	55	9		150	
I019B070UP	70x20	80	100x35	76	9		200	
I018B080UP	80x20	85	100x35	76	9		250	
I019B090UP	90x20	100	110x36	92	9		275	
I019B100UP	100x20	105	130x36	92	9		300	
I019C050V	50x15	50	106x27	85	9		100	
I019C060V	60x17	66	106x27	85	9		150	
I019C070V	70x20	70	130x33	105	9		200	
I019C080V	80x20	80	130x33	105	9		250	
I019C090V	90x20	90	152x33	127	9		275	
I019C100V	100x20	100	152x33	127	9		300	

96

IO20



Remark: Continuous high temperature resistance
not more than 4 hours

支架：
焊接镀锌铁支架，双玻盘

轮子：
材料：玻纤 + 尼龙 / 酚醛
轴承类型：滚针轴承

备注：连续耐高温使用
不可超过 4 小时




I020HXXPFP

I020HXXXPF

I020HXXXPF PB1

Wheel Material	Model Number									
										
Phenolic 酚醛 -20~160°C / -20~260°C	I020H100PFSW	I020H100PFP	100x50	142	115x100	85x72	20x13		300	
	I020H125PFSW	I020H125PFP	125x50	167	115x100	85x72	20x13		350	
	I020H150PFSW	I020H150PFP	150x50	195	115x100	85x72	20x13		400	
	I020H200PFSW	I020H200PFP	200x50	240	115x100	85x72	20x13		500	
GF + PA 玻纤 + 尼龙 -20~280°C	I020H100PF1SW	I020H100PF1P	100x50	142	115x100	85x72	20x13		300	
	I020H125PF1SW	I020H125PF1P	125x50	167	115x100	85x72	20x13		350	
	I020H150PF1SW	I020H150PF1P	150x50	195	115x100	85x72	20x13		400	
	I020H200PF1SW	I020H200PF1P	200x50	240	115x100	85x72	20x13		500	

IO20



Remark: Continuous high temperature resistance
not more than 4 hours

支架：
焊接镀锌铁支架，双玻盘

轮子：
材料：玻纤 + 尼龙 / 酚醛
轴承类型：双滚珠轴承

备注：连续耐高温使用
不可超过 4 小时



I020HXXFP-2

I020HXXPFPF-2

I020HXXPFPB1-2

Wheel Material	Model Number								
									
GF + PA 玻纤 + 尼龙 -20~150℃	I020H100PFSW-2	I020H100PFP-2	100x50	142	115x100	85x72	20x13		300
	I020H125PFSW-2	I020H125PFP-2	125x50	167	115x100	85x72	20x13		350
	I020H150PFSW-2	I020H150PFP-2	150x50	195	115x100	85x72	20x13		400
	I020H200PFSW-2	I020H200PFP-2	200x50	240	115x100	85x72	20x13		500
GF + PA 玻纤 + 尼龙 -20~250℃	I020H100PF1SW-2	I020H100PF1P-2	100x50	142	115x100	85x72	20x13		300
	I020H125PF1SW-2	I020H125PF1P-2	125x50	167	115x100	85x72	20x13		350
	I020H150PF1SW-2	I020H150PF1P-2	150x50	195	115x100	85x72	20x13		400
	I020H200PF1SW-2	I020H200PF1P-2	200x50	240	115x100	85x72	20x13		500
GF + PA 玻纤 + 尼龙 -20~280℃	I020H100PF2SW-2	I020H100PF2P-2	100x50	142	115x100	85x72	20x13		300
	I020H125PF2SW-2	I020H125PF2P-2	125x50	167	115x100	85x72	20x13		350
	I020H150PF2SW-2	I020H150PF2P-2	150x50	195	115x100	85x72	20x13		400
	I020H200PF2SW-2	I020H200PF2P-2	200x50	240	115x100	85x72	20x13		500



Housing:

Steel welded construction, zinc plated,
double ballrace swivel head

Wheel:

Material: Thermoplastic rubber (With conductive filament)
Bearing type: Double ball bearing/Annular bearing
Conductivity : 1x10³⁻⁵ Ω


支架:

焊接镀锌铁支架, 双玻盘

轮子:

材料: 塑芯热塑性橡胶 (加导电丝)
轴承类型: 双滚珠轴承 / 一体轴承
导电系数: 1x10³⁻⁵ Ω

Wheel Material	Model Number										
											
TPR + PP Core 塑芯 热塑性橡胶	I021M075CTPRP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		80
	I021M100CTPRP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		90
	I021M125CTPRP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		100



Housing:

Steel welded construction, zinc plated,
double ballrace swivel head

Wheel:

Material: Thermoplastic rubber (With conductive filament)
Bearing type: Double ball bearing/Roller bearing
Conductivity : 1x10³⁻⁵ Ω


支架:

焊接镀锌铁支架, 双玻盘

轮子:

材料: 塑芯热塑性橡胶 (加导电丝)
轴承类型: 双滚珠轴承 / 滚针轴承
导电系数: 1x10³⁻⁵ Ω

Wheel Material	Model Number										
											
TPR + PP Core 塑芯 热塑橡胶	I021H100CTPRP	I021H100CTPRPF	I021H100CTPRPB	101x50	143	115x100	85x72	20x13			230
	I021H125CTPRP	I021H125CTPRPF	I021H125CTPRPB	126x50	165	115x100	85x72	20x13			280
	I021H150CTPRP	I021H150CTPRPF	I021H150CTPRPB	152x50	191	115x100	85x72	20x13			300
	I021H200CTPRP	I021H200CTPRPF	I021H200CTPRPB	202x50	241	115x100	85x72	20x13			320




Housing:
Steel welded construction, zinc plated,
double ballrace swivel head

Wheel:
Material: Thermoplastic rubber
Bearing type: Double ball bearing/Annular bearing
Conductivity: 1x10^6-9 Ω

支架:
焊接镀锌铁支架,
双玻盘

轮子:
材料: 热塑性橡胶
轴承类型: 双滚珠轴承 / 一体轴承
导电系数: 1x10^6-9 Ω

Wheel Material	Model Number										
											
TPR + PP Core 塑芯 热塑橡胶	I022M075ATPRP	75x32	105	93x62	72x45	93x62	72x45	12x8.5	12x30		80
	I022M100ATPRP	100x32	130	93x62	72x45	93x62	72x45	12x8.5	12x30		90
	I022M125ATPRP	125x32	155	93x62	72x45	93x62	72x45	12x8.5	12x30		100




Housing:
Steel welded construction, zinc plated,
double ballrace swivel head

Wheel:
Material: Thermoplastic rubber
Bearing type: Double ball bearing/Roller bearing
Conductivity : 1x10^6-9 Ω

支架:
焊接镀锌铁支架, 双玻盘

轮子:
材料: 热塑性橡胶
轴承类型: 双滚珠轴承 / 滚针轴承
导电系数: 1x10^6-9 Ω

Wheel Material	Model Number							
								
TPR + PP Core 塑芯 热塑橡胶	I022H100ATPRP	I022H100ATPRPF	I022H100ATPRPB	101x50	143	115x100	85x72	20x13
	I022H125ATPRP	I022H125ATPRPF	I022H125ATPRPB	126x50	165	115x100	85x72	20x13
	I022H150ATPRP	I022H150ATPRPF	I022H150ATPRPB	152x50	191	115x100	85x72	20x13
	I022H200ATPRP	I022H200ATPRPF	I022H200ATPRPB	202x50	241	115x100	85x72	20x13





Housing:
Made of pressed steel, zinc plated,
double ballrace swivel head

Wheel:
Material: Thermoplastic rubber
Bearing type: Plain bearing

支架：
冲压镀锌铁支架，
双玻盘
轮子：
材料：热塑性橡胶
轴承类型：滑动轴承



I023AXXTPRG



I023AXXTPRGB



I023AXXTPRSG



I023AXXTPRGB

Model Number									
									
I023A100TPRG	I023A100TPRGB	I023A100TPRSG	I023A100TPRSGB	100x27	125	15x42	23x68		70
I023A100TPR1G	I023A100TPR1GB	I023A100TPR1SG	I023A100TPR1SGB	100x27	125	15x42	23x68	/	70



Housing:
Made of pressed steel, zinc plated,
Wheel:
Material: PP
Bearing type: No bearing

支架：
冲压铁支架，镀锌
轮子：
材料：塑料
轴承类型：无轴承



Model Number					
I023C060PPT	60x17.5	85	8x15	/	20

Housing:
Made of pressed steel,
electrophoresis finished

Wheel:
Material: PP
Bearing type: No bearing

支架：
冲压铁支架，电泳
轮子：
材料：塑料
轴承类型：无轴承



Model Number						
I023D075PPG	75x11	89	6x25	/	20	

F003

Office Chair Caster-1 班椅轮 -1



Application:
Office chairs, small cabinets, baby beds

应用：
办公椅，小橱柜，婴儿床

Material: PU/Nylon

材料：聚氨酯 / 尼龙



F003AXXXPUP

F003AXXXPUPB6

F003AXXXPUT

F003AXXXPUTB6

F003AXXXPUG

F003AXXXPUGB6

Model Number										
F003A050PUP	50	62	57	57	38x38	25x25	5	10x15	11x22	35
F003A060PUP	60	68	68	70	38x38	25x25	5	10x15	11x22	40



Office Chair Caster-2 班椅轮 -2

F004



Application:
Hotel trolleys, chairs, baby beds

应用：
酒店推车，大班椅，婴儿床

Material: PU/Nylon

材料：聚氨酯 / 尼龙



F004A050XXP

F004A050XXT

F004A050XXG

Model Number											
F004A050PUP	50	68	63	63	38x38	25x25	5	34	10x15	11x22	35
F004A050PAP	50	68	63	63	38x38	25x25	5	34	10x15	11x22	35



XL-CAS-STER

XL-CAS-STER

F005

XL-CAS-STER

Brown TPR Caster 棕色 TPR 脚轮

Housing:
Made of pressed steel, chrome plated,
double ballrace swivel head
Wheel:
Material: Thermoplastic Rubber
Bearing type: Precision ball bearing

支架：
冲压镀铬铁支架，双玻盘
轮子：
材料：热塑性橡胶
轴承类型：精密滚珠轴承



F005AXXXTPRP



F005AXXXTPRPF



F005AXXXTPRPB2



F005AXXXTPRD





F005AXXXTPRDB2



F005AXXXTPRT




F005AXXXTPRTB2

Model Number									
F005A025TPRP	25x12	37	38x30	29x21	4	/	6x15		10
F005A032TPRP	32x12	44	39x33	30x24	4	/	6x15		15
F005A038TPRP	38x16	52	46x39	36x28	5	6.5	6x15		20
F005A050TPRP-1	50x18	65	46x39	36x28	5	/	6x15		28
F005A050TPRP	50x20	77	60x49	45x32	6	10.5	10x25		35
F005A063TPRP	63x20	90	70x52	52x33	6	10.5	10x25		45
F005A075TPRP	75x25	104	73x60	54x39	8	10.5	10x25		55


Brown TPR Caster 棕色 TPR 脚轮

F005


XL-CAS-STER




25MM Swivel/Fixed/Double Brake caster share the same plate size.
25MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。




32MM Swivel/Fixed/Double Brake caster share the same plate size.
32MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。




38MM Swivel/Fixed/Double Brake caster share the same plate size.
38MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。



50MM Swivel/Fixed/Double Brake caster share the same plate size.
50MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。



63MM Swivel/Fixed/Double Brake caster share the same plate size.
63MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。



75MM Swivel/Fixed/Double Brake caster share the same plate size.
75MM 的活动 / 固定 / 双刹脚轮底板尺寸一致。

Optional Mounting Styles :
其他可选安装方式



F005AXXXPL



F005AXXXPU

F005




支架：
冲压镀铬铁支架，双玻盘

轮子：
材料：热塑性橡胶
轴承类型：精密滚珠轴承




Model Number											
F005A040TPRP-TW	38x16	63	72x51	52x35	70x56	52x35	11x8	8x20	11x22		60
F005A050TPRP-TW	50x18	75	72x51	52x35	70x56	52x35	11x8	12x30	11x22		80

F005



40/50MM Swivel/Double Brake caster share the same plate size.

40/50MM 的活动 / 双刹脚轮底板尺寸一致。



40/50MM Fixed caster
share the same plate size.

40/50MM 固定脚轮底板尺寸一致。

F006

Transparent Caster透明脚轮



Application:

Small equipments, cabinets, chairs, furniture

Material:

PU

Advantage:

Environmental protection material, no noise

应用：

小设备，柜子，桌椅，家具

材料：

聚氨酯

优势：

环保材料、静音



F006AXXPUP



F006AXXPUPF



F006AXXPUPB6

Model Number											
F006A035PUP	35x24	50	42x42	31x31	4	42x42	31x31	4	8x15		15
F006A050PUP	50x20	62	42x42	31x31	4	42x42	31x31	4	8x15		30
F006A075PUP	75x24	97	60x60	44x44	6	60x60	44x44	6	10x25		50
F006A100PUP	100x24	122	60x60	44x44	6	60x60	44x44	6	10x25		60

Half Transparent Caster花芯透明脚轮

F007



Application:

Small equipments, cabinets, chairs, furniture

Material:

PU

Advantage:

Environmental protection material, no noise

应用：

小设备，柜子，桌椅，家具

材料：

聚氨酯

优势：

环保材料、静音

Optional Color 可选颜色：



F007AXXPUG



F007AXXPUGB6

Model Number								
F007A050PUG	F007A050PUGB6	50x21	66	11x22		25		
F007A064PUG	F007A064PUGB6	64x24	84	11x22		35		
F007A075PUG	F007A075PUGB6	75x24	95	11x22		50		
F007A100PUG	F007A100PUGB6	100x24	125	11x22		60		

XI-GAS-TER

XI-GAS-TER

M001



XI-GAS-TER

Medical Caster-1 医疗脚轮 -1

Application:
Hospital beds, medical equipment trolleys

Material:
PU/TPR

Advantage:
Environmental protection material,
no noise, durable bracket

应用：
病床、医用设备推车

材料：
聚氨酯 / 热塑性橡胶

优势：
环保材料、静音效果、耐用支架



M001AXXPUP



M001AXXPUPB



M001AXXPUP



M001AXXPUPB

Model Number									
M001A075PUP	75x56	98	93	70x58	54x42	8.5	12x25	/	60
M001A100PUP	100x56	128	122	90x75	65x50	8.5	12x25		80
M001A125PUP	125x65	156	150	95x67	72x45	8.5	16x25		125

Medical Caster-2 医疗脚轮 -2

Application:
Hospital beds, medical equipment trolleys

Material:
TPR

Advantage:
Environmental protection material, no noise,
durable bracket

应用：
病床、医用设备推车

材料：
热塑性橡胶

优势：
环保材料、静音效果、耐用支架



M002AXXTPRP-K



M002AXXTPRPB2-K



M002AXXTPRT-K



M002AXXTPRTB2-K

Model Number									
M001A075TPRP-K	75x56	98	93	70x58	54x42	8.5	12x25	/	60
M001A100TPRP-K	100x67	128	122	90x75	65x50	8.5	12x25		80
M001A125TPRP-K	125x85	156	150	95x67	72x45	8.5	16x25		125

M002



XI-GAS-TER



XL-CAS-TER

Application:

Hospital beds, medical equipment trolleys

应用：

病床、医用设备推车

Material:

TPR

材料：

热塑性橡胶

Advantage:

Environmental protection material, no noise, durable bracket

优势：

环保材料、静音效果、耐用支架

Model Number											
M003A075TPRP	75x24	107	102	/	65x65	47x47	8.5	12x25	/		60
M003A100TPRP	100x26	130	125	/	95x67	72x45	8.5	12x25	/		80
M003A125TPRP	125x32	158	155	155	95x67	72x45	8.5	16x30	28x40		125



Optional wheels :
匹配脚轮：



XL-CAS-TER



M003AXXXTPRP



M003AXXXTPRPB2



M003AXXXTPRT



M003AXXXTPRTB2



M003AXXXTPRS



M003AXXXTPRSB2



YI-GAS-TER

Application:
Hospital beds, medical equipment trolleys

Material:
TPR

Advantage:
Environmental protection material,
no noise, durable bracket

应用：
病床、医用设备推车

材料：
热塑性橡胶

优势：
环保材料、静音效果、耐用支架

Model Number													
M004A075TPRP		76x32	122	110	110	95x65	75x45	12x8.4	13	12x25	22x55		90
M004A100TPRP		101x32	150	140	140	95x65	75x45	12x8.4	13	12x25	22x55		120
M004A125TPRP		126x32	178	166	166	95x65	75x45	12x8.4	13	16x30	22x55		135

Optional wheel type:
匹配脚轮款式：



YI-GAS-TER





YI-GAS-TER

Application:

Hospital beds, medical equipment trolleys

Material:

TPR

Advantage:

Environmental protection material, no noise, durable bracket

应用：

病床、医用设备推车

材料：

热塑性橡胶

优势：

环保材料、静音效果、耐用支架

Model Number											
M004A075TPRP-K	75x26	112	108	108	95x65	75x45	12x8.4	13	12x25		90
M004A100TPRP-K	100x28	146	142	142	95x65	75x45	12x8.4	13	12x25		120
M004A125TPRP-K	125x32	173	165	165	95x65	75x45	12x8.4	13	12x25 / 16x30		135



YI-GAS-TER



M004AXXXTPRP-K



M004AXXXTPRPB2-K



M004AXXXTPRD-K



M004AXXXTPRDB2-K



M004AXXXTPRT-K



M004AXXXTPRTB2-K

T001



XL-CAS-STER

Hand Trolley 手推车

Foldable Plastic Platform Trolley

- Plastic(PP) platform
- PVC/TPR wheel
- Color available: Green, yellow or customized



Model Number						
T00107050PP	700x500	150	820	100	10.5	200
T00109060PP	900x600	200	860	125	14	400
T00110563PP	1050x630	200	860	125	17	500

Advanced Foldable Plastic Platform Trolley

- High intensity and tenacity platform
- Engineering Plastic platform
- Durable TPR wheel



Model Number						
T00107050FP	700x500	150	820	100	10.5	150
T00109060FP	900x600	200	860	125	14	300

Foldable Hand Trolley

- Completely foldable
- Engineering Plastic platform
- Adjustable handle
- Space-saving



Model Number					
T001065041FC	653x415x920	653x415x85	100	7.6	150

125

Hand Trolley 手推车

T001



XL-CAS-STER

Foldable Stainless Steel Platform Trolley

- Anti-corrosion
- Waterproof and rust-proof surface
- Stainlee steel platform
- TPR wheel



Model Number						
T00107050SS	700x460	150	850	100	10.5	150
T00109060SS	900x600	200	900	125	19.5	300
T00112066SS	1200x660	200	900	125	26.5	500

Foldable Square Tube Trolley

- Smooth and durable
- Steel tube
- TPR wheel



Model Number						
T00107050ST	700x460	150	850	100	10.5	150
T00109060ST	900x600	200	900	125	19.5	300
T00112066ST	1200x660	200	900	125	26.5	500

Optional wheel type:
匹配脚轮款式：



Black PVC caster
黑色 PVC 脚轮



Blue TPR caster
蓝色 TPR 脚轮



Black TPR caster
全塑 TPR 脚轮

126

T002



YI-GAS-TER

Hand Trolley 手推车

Double-layers Plastic Platform Trolley

- Plastic(PP) platform
- Anti-slip handle
- TPR wheel

Model Number						
T00207050PP-2	700x500	150	820	100	17.5	150
T00209060PP-2	900x600	200	860	125	23	300



Three-layers Plastic Platform Trolley

- Plastic(PP) platform
- Anti-slip handle
- TPR wheel

Model Number						
T00207050PP-3	700x500	150	852	100	21.5	150
T00209060PP-3	900x600	200	892	125	27	300



127

Hand Trolley 手推车

T003/4



YI-GAS-TER

Wire Mesh Trolley

- Plastic(PP) platform
- Removable mesh sides

Model Number						
T00309060MC	900x600	200	860	125	24	300



Foldable Transport Truck

- Space saving
- Completely foldable
- Anti-rusted
- PU wheel



Model Number						
T004100040BC	1000x394x406	640x394x47	390x280	100	3.5	70

128

GUANGZHOU YLCASTER METAL CO.,LTD.



Tel: +86-20-89621491

Fax: +86-20-89621430

E-mail: sales-director@ylcaster.com

Web: www.ylcaster.com www.yl-caster.com

www.ylcaster.en.alibaba.com www.ylcaster02.en.alibaba.com

Office add: No.183, Tingyuan Road, Xinggang East Road, Haizhu District, Guangzhou, Guangdong, China

Factory add: B13-8 Yinling Industrial Park, Jiangcheng District, Yangjiang, Guangdong, China

Manufacturing master of caster